



EDUCATION FACILITIES GUIDE PAINTING SPECIFICATIONS

09 91 23 Interior Painting
09 91 13 Exterior Painting

November 22, 2022



Paint
Company

1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

GUIDE INDEX

Finish Coats, Sealers and Primers..... 3-4
 General Surface Preparation 5
 Project Conditions for Painting Exterior Surfaces 5

INTERIOR PAINT SYSTEMS

Administration - Offices, Reception, Lobby, Conference/Guidance/Counseling Offices 6-8
 Auditorium, Performing Arts, Common Areas..... 8-10
 Classrooms, General Purpose Rooms, Learning Labs and Arts 10-11
 Hallways, Corridors, Common Areas, Stairwells 12-13
 Cafeteria, Food Services, Kitchen, Student Dining, Multi-Purpose 13-15
 Central Supply, Receiving Room, Storage Area..... 15-16
 Gymnasium, Physical Education, Locker Rooms, Storage Rooms..... 16-18
 Exposed Metal Ceilings and Decking 18
 Health Services and Nurses Office - Workspace..... 18-20
 Library, Media Office, Multi-Media Workroom, Community Center 20-21
 Natatorium, Swimming Facilities, Pool Area 21-22
 Janitorial Workroom, Custodial, Maintenance Rooms, Closets, Storage..... 23-25
 Restrooms, Toilets..... 25-27
 Safety and Security Office 27-28
 Staff Dining, Teacher Lounge. Locker Room, Staff Restrooms 28-30
 Technology Education, Computer and Tech Ed Lab, Science Lab, Storage..... 30-32
 Concrete Floors - Painted, Light Pedestrian Traffic 32-33
 Concrete Floors - Painted, Medium - Heavy Traffic..... 33
 Wood, Interior Stained and Transparent Finishes..... 33
 Wood, Interior Clear Transparent Finishes..... 33

EXTERIOR PAINT SCHEDULE 099113 EXTERIOR PAINTING

Concrete..... 34
 Stucco and Cement Plaster 34
 Fiber Cement..... 34
 Concrete Masonry Units (CMU) 35
 Concrete, Unfinished Decks, Stone and Brick..... 35
 Wood: Painted 35
 Wood: Stained 35
 Wood: Clear Transparent Finishes..... 35
 Ferrous Metal: Steel and Wrought Iron 37
 Non-Ferrous Metal: Galvanized Metal, Aluminum and Brass..... 37



BEHR PAINT®

PRODUCTS

The Painting Schedule outlined in this guide is not all inclusive of available Behr® Paint and Kilz® products. Architects and specifiers may adapt and make changes, which are suitable for specific commercial projects and their requirements.

BEHR® and KILZ® Coatings in this guide comply with established local, state, and E.P.A. VOC content regulations, including South Coast Air Quality Management District (SCAQMD) Rule 1113. Behr® Paints help projects earn LEED® v4.1 credits, and are Master Painters Institute® (MPI) listed and approved, which meet MPI Green Performance® Standards.

FINISH COATS

BEHR® COPPER FORCE™ Interior Paints are EPA-registered virucidal and antibacterial paints. This 100% acrylic paint & primer kills 99.9% of viruses [SARS-CoV-2 and Feline calicivirus (EPA proxy for Human Noroviruses)] and bacteria [Staphylococcus aureus (Staph) and Pseudomonas aeruginosa] within two hours of contact on the painted surface and lasts for up to six years. EPA Reg. No. 32273-10. It maintains its virucidal and anti-bacterial performance after repeated washings and contamination. Eggshell and Semi-Gloss finishes are available for gypsum board, concrete, masonry, wood, metal, and plastic substrates.

BEHR ULTRA™ SCUFF DEFENSE™ Interior Paints set a new standard for flat paint durability. **SCUFF DEFENSE™ Stain-Blocking Paint & Primer in One** featuring breakthrough innovation to deliver superior scuff and burnish resistance that are truly durable for high-traffic areas. Available in Flat, Eggshell, Satin and Semi-Gloss finishes.

BEHR PREMIUM PLUS® Interior Paints are a line of premium interior paints that provide durable and washable finishes. They also have low odor, and excellent touch-up properties. Available in Flat, Eggshell Satin, Semi-Gloss and Hi-Gloss sheens.

BEHR PRO® i300 Series Interior Paints are a top-line professional quality latex paints, which provide superior hide and coverage, excellent sprayability, and superior touch-up. Available in Flat, Eggshell and Semi-Gloss finishes.

BEHR PRO® Pre-Catalyzed Waterborne Epoxy is a single-component acrylic epoxy coating designed for interior and exterior use in USDA inspected commercial, institutional, and industrial facilities. This product provides exceptional adhesion as well as resistance to abrasion, stains, and most chemicals making it ideal for high maintenance areas subject to frequent cleaning. Available in [HP140 Eggshell](#) and [HP 150Semi-Gloss](#) sheens.

BEHR PREMIUM® Interior/Exterior Direct-To-Metal Paint is engineered for excellent corrosion resistance and adhesion to a variety of properly prepared or primed residential and light industrial metal surfaces. It provides a durable finish that withstands tough elements on both interior and exterior surfaces. Use on other properly prepared and primed drywall, wood, and masonry. Available in [7200 Eggshell](#), [3200 Semi-Gloss](#), and [8200 Gloss](#) sheens.

BEHR PREMIUM® Porch & Patio Floor Paint is an interior/exterior latex paint designed to provide a durable, mildew-resistant finish that resists scuffing, fading, cracking, and peeling for horizontal applications. Available in [Low Lustre](#) and [Gloss](#) sheens.

BEHR PREMIUM® Porch & Patio Anti-Slip Floor Paint 6250 is a 100% acrylic textured low-lustre enamel that is ideal for interior/exterior applications on wood and concrete porches, patios, pool decks and walkways to provide a durable, mildew-resistant finish that resists scuffing, fading, cracking, and peeling for horizontal applications.

BEHR PREMIUM PLUS® Exterior Paints are a line of premium exterior paints that provides a mildew-resistant finish with excellent durability and hide. It resists moisture, fading, and staining. Available in Flat, Satin, Semi-Gloss and Gloss sheens.

BEHR PRO®e600 Series Exterior Paints are a top-line, professional quality exterior paints that provide superior hide and coverage, excellent sprayability, and superior touch-up. Available in Flat, Satin® and Semi-Gloss sheens.

BEHR PREMIUM® Exterior High Build Coating 4700 is formulated as a self-priming coating over concrete and masonry surfaces. It is a flexible, long-lasting smooth waterproofing coating that withstands wind-driven rain up to 98 mph and may be applied directly to "HOT" masonry surfaces with pH levels up to 13. This coating also provides a breathable film that has up to 350% elongation.

BEHR PRO® Exterior Acrylic Texture Coating – Medium PR710 is specifically designed to provide a textured flat finish on properly prepared interior and exterior above-grade surfaces. This product minimizes defects and irregularities found on concrete and masonry surfaces. It provides a mildew resistant finish on the paint film. Performance data confirms its Resistance to Wind-Driven Rain (ASTM D6904). Not for use on horizontal surfaces (floors, roofs or decks, etc.).



[BEHR PREMIUM® Protector & Waterproofer](#) is an interior/exterior water-based waterproofer formulated with silicone to penetrate into the surface to help keep water out and shield against salt damage and corrosion. This product also reduces staining caused by mold and mildew and ensures greater durability of the surface.

[BEHR PREMIUM® Semi-Transparent Waterproofing Stain & Sealer](#) is a 100% acrylic formula that seals out the elements, and sun's harmful UV rays, for decks, fences & siding. It is available in a curated collection of 60 color choices designed to help create a look that is as beautiful as it is durable.

[BEHR PREMIUM® Solid Color Waterproofing Stain & Sealer](#) is a 100% acrylic formula that seals out the elements, and sun's harmful UV rays, for decks, fences, and siding. It forms an exceptionally durable and mildew-resistant finish that resists scuffing, cracking, peeling, and blistering.

[BEHR® Fast-Drying Water-Based Wood Stain](#) is designed for easy application and workability to interior wood surfaces such as cabinets, trim, doors, paneling, furniture and floors. This product provides superior color control, one-coat coverage and lower odor than oil-based stains.

[BEHR® Fast-Drying Water-Based Polyurethane](#) is designed to provide a crystal clear self-leveling smooth finish that protects and beautifies interior wood. This product has less odor than oil-based finishes and resists stains and scratches. Ideal for bare or stained furniture, molding, cabinets, trim and wood doors. Available in matte, satin, semi-gloss and gloss sheens.

[BEHR® Water-Based Spar Urethane](#) is designed to provide a durable crystal clear protective finish for exterior and interior wood surfaces. This finish is fortified with UV inhibitors for wood exposed to direct sunlight such as handrails and doors.

[MONOCHEM PERMASHIELD® 200*](#) is an advanced two-component water-based, aliphatic polyurethane that exhibits outstanding film hardness and excellent resistance against abrasion, chemicals, stains, direct/ reverse impacts, and ultraviolet light. When applied with a full broadcast of silica sand #30 over concrete, the coating provides a coefficient of friction (ASTM C1028) of 0.76 (wet) and 0.89 (dry). It is low odor and low VOC. Available in matte and high gloss, and in clear or colors.

**Monopole, Inc., MONOCHEM PERMASHIELD 200 is not manufactured by Behr Paint Company. It is offered as an outsourced product in the BEHR PRO® third-party product program. Behr Paint Company is an authorized Distributor for Monopole, Inc., Los Angeles, California.*

PRIMERS AND SEALERS

[BEHR® Drywall Plus Interior Primer & Sealer, 73](#) is fast-drying and seals uncoated and previously painted interior drywall, wallboard, plaster, wood and brick to promote a uniform finish for topcoats. This 100% acrylic, low VOC formula is ideal for use under lower sheen paints and has excellent hiding properties for topcoat products.

[BEHR® Kitchen, Bath & Trim Interior Stain-Blocking Primer & Sealer, 75](#) promotes excellent adhesion to glossy surfaces and provides maximum stain resistance in a multi-purpose stain-blocking Zero VOC formula. It creates a uniform surface finish for improved hiding, adhesion and flow and leveling of topcoats. Intended for drywall, wood, plaster, concrete, CMU, brick, vinyl and non-ferrous metals. This acrylic latex film is mildew resistant and also suitable for sizing walls to install wallcovering.

[BEHR® Interior/Exterior Bonding Primer, 432](#) is specifically formulated to bond to a variety of 'tough-to-paint' surfaces. Its advanced chemistry provides a sound anchor for topcoats while reducing or potentially eliminating the need for sanding dense and glossy surfaces. This product may be used under epoxies, lacquers, products containing xylene or other hot solvents.

[BEHR® Interior/Exterior Metal Primer 435](#) is a rust-inhibitive primer that can be applied over clean and sound rusty metal surfaces while preventing corrosion with minimal surface preparation. This innovative water-based primer features fast dry time, low odor and easy clean-up.

[BEHR® Multi-Surface Interior/Exterior Stain-Blocking Primer & Sealer, 436](#) blocks medium to heavy stains and has excellent adhesion to multiple substrates. It offers corrosion and rust resistant properties to ferrous and non-ferrous metals. This low VOC product also provides a high-hide, mildew-resistant primer film with quick recoat time and can be applied to masonry surfaces with a pH level up to 13.

[BEHR Acrylic-Alkyd Enamel Undercoater 437](#) is a Low VOC water-based, alkyd primer that has excellent tannin stain-blocking and outstanding flow and leveling for wood. It provides great sandability and is designed for use under higher sheen paints on interior and exterior surfaces. This high-hide product also offers corrosion and rust resistant properties to properly prepared ferrous metal.

[BEHR PREMIUM® Concrete & Masonry Bonding Primer 880](#) is a high performance, water-based prep product designed specially to promote optimum adhesion to interior and exterior concrete and masonry surfaces.

[BEHR PRO® Block Filler Primer PR50](#) is an interior / exterior latex low VOC primer formulated to fill and seal porous masonry surfaces, reduce pinholing and help produce a smooth and even topcoat for a uniform, professional quality finish.

GENERAL SURFACE PREPARATION

Clean surfaces to receive paint thoroughly of substances, which could impair adhesion of paints, including dust, dirt, oil, grease and other contaminants before application of any coatings and stains. Prepare surfaces as follows:

WOOD: Remove mill glaze and dust, sand smooth. Fill open joints, cracks, nail holes and other pits or depressions flush and smooth with wood filler after priming. Use wood putty to match finish paint coat. Touch up knots or sap streaks with a stain-blocking sealer before priming.

CONCRETE, PRECAST CONCRETE and CONCRETE TILT-UP: Remove release agents, curing compounds, loose particles, efflorescence, and chalk. Do not coat surfaces if moisture content or alkalinity of surface to be coated exceeds that permitted in the manufacturer's written instructions. Prime with an alkali-resistant primer.

PLASTER and STUCCO: Fill hairline cracks, small holes, and imperfections on surfaces with patching compound. Smooth off to match adjacent surfaces. Apply an alkali-resistant primer or wash with fresh water and neutralize high alkalinity surfaces where they occur.

MASONRY: Remove efflorescence and chalk. Do not coat surfaces if moisture content or alkalinity of surface to be coated exceeds that permitted in the manufacturer's written instructions. Prime with an alkali-resistant primer.

SHOP-PRIMED STEEL: Solvent clean according to SSPC-SP1. Remove loose primer and rust, contaminants, and foreign matter. Prime bare steel and touch up abrasions with a ferrous metal primer.

STEEL, FERROUS METAL: Remove rust, mill scale, foreign substances, and shop primer. Clean according to SSPC-SP3, "Power Tool Cleaning", or abrasive blasting cleaning according to SSPC-SP6 "Commercial Blast Cleaning" as required. Protect surface from corrosion until application of primer.

GALVANIZED METAL: Remove oils, passivators and clean entire surface with an appropriate solvent. Pre-treat with a phosphoric acid etching solution to promote adhesion of subsequently applied coatings.

PHOSPHATIZED METAL or GALVANNEALED METAL shall not be chemically etched. Clean and apply suitable metal primer.

ALUMINUM: Solvent clean according to SSPC-SP1. Remove loose surface oxidation.

GYPSUM BOARD: Remove dust and foreign matter. Fill pits flush and smooth with joint compound and where required, apply skim coat to provide the required Level of Finish. Apply suitable patching compound to repair gauges, holes, and voids. Sand smooth and clean to a dust free surface.

WARNING If you scrape, sand or remove old paint, you may release lead dust. Lead is toxic. Exposure to lead dust can cause serious illness, such as brain damage, especially in children. Pregnant women should also avoid exposure. Wear a NIOSH-approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find out how to protect yourself and your family by contacting the National Lead Information Center at 1-800-424-LEAD or log on to www.epa.gov/lead.

PROJECT CONDITIONS FOR PAINTING EXTERIOR SURFACES

Do not apply paint or coatings when temperature is below 50°F (unless otherwise noted). Do not apply exterior paint in damp or rainy weather; ensure that the surface has dried thoroughly before proceeding. Surface temperature must be at least 5°F above dew point before painting.

INTERIOR PAINT SCHEDULE (09 91 23 INTERIOR PAINTING)

ADMINISTRATION: OFFICES, RECEPTION, LOBBY, CONFERENCE ROOMS, GUIDANCE COUNSELING OFFICE

Gypsum Board and Plaster: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Flat Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/Zero VOC Finish

Flat Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Latex, High Performance Architectural, Low Odor/VOC

Flat Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC:

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Concrete Masonry Units CMU: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Latex, High Performance Architectural, Low Odor/VOC

Flat Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)



Concrete Masonry Units CMU: Walls

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Wood Opaque: Pre-Primed and Painted Doors, Door Frames, Trim, Base, and Woodwork

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Satin Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR Premium Plus® Interior Satin Enamel (7050)

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR Premium Plus® Interior Semi-Gloss Enamel (3050)

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Laminate and Fiberglass Reinforced Plastic (FRP)

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior /Exterior Bonding Primer (432)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor/ Zero VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Steel and Iron Metal: Doors, Door Frames, and Miscellaneous Ferrous Metal

Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



Latex, Institutional, Low Odor/ Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Galvanized-Metal: Aluminum, and Miscellaneous Non-Ferrous Metals

Light Industrial Coating: Low Odor/ VOC

Eggshell Finish

Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish

Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Anodized Aluminum:

Light Industrial Coating: Low Odor/VOC

Eggshell Finish

Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish

Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Eggshell Finish

Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish

Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

AUDITORIUM, PERFORMING ARTS, COMMON AREAS

Gypsum Board and Plaster: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Finish VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Latex, High Performance Architectural, Low Odor/VOC

Flat Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Gypsum Board: Ceilings

Latex, Institutional, Low Odor/Zero VOC:

Flat Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

Concrete and Pre-Cast Concrete: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/ Zero VOC:

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete Masonry Units CMU: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Wood Opaque: Pre-Primed and Painted Doors, Door Frames, Trim, Base, and Woodwork

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



Ferrous and Non-Ferrous Metal – Doors, Door Frames, Handrails, Miscellaneous Metal

Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor/VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Anodized Aluminum:

Light Industrial Coating: Low VOC

Eggshell Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)
- Primer: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)
- Primer: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low VOC

Eggshell Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)
- Primer: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)
- Primer: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

CLASSROOMS, GENERAL PURPOSE ROOMS, LEARNING LABS AND ARTS

Gypsum Board: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Gypsum Board: Ceilings

Latex, Institutional, Low Odor/Zero VOC Finish

Flat Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre- Cast Concrete: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete Masonry Units CMU: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR PRO® Block Filler and Primer (PR050)
Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR PRO® Block Filler and Primer (PR050)
Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)
Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)
Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Wood Opaque: Pre-Primed and Painted Doors, Door Frames, Trim, Base, and Woodwork

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Steel and Iron Metal: Doors, Door Frames, and Miscellaneous Ferrous Metal

Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)
Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

HALLWAYS, CORRIDORS, COMMON AREAS AND STAIRWELLS

Gypsum Board: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Gypsum Board: Ceilings

Latex, Institutional, Low Odor/Zero VOC:

Flat Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC

Semi-Gloss Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete Masonry Units CMU: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

Primer: BEHR PRO® Block Filler Primer (PR50)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor /Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



Wood Opaque: Pre-Primed and Painted Doors, Door Frames, Trim, Base, and Woodwork

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Steel and Iron Metal: Doors, Door Frames, and Miscellaneous Ferrous Metal

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Galvanized-Metal: Aluminum, and Miscellaneous Non-Ferrous Metals

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)
- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (3190)

Semi-Gloss Finish (virucidal and antibacterial paint)

- Pre-Treatment: Klean Strip Phosphoric Prep & Etch, (GKPA30220)
- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

CAFETERIA, FOOD SERVICES, KITCHEN, STUDENT DINING, MULTI-PURPOSE

Gypsum Board: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



Waterborne Epoxy, High Performance Architectural: (Wet Areas) Semi-Gloss Finish
 Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
 Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Gypsum Board: Ceilings

Waterborne Epoxy, High Performance Architectural: (Wet Areas) Semi-Gloss Finish
 Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
 Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
 Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete and Pre-Cast Concrete – Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
 Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
 Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
 Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
 Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Semi-Gloss Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
 Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete Masonry Units (CMU) – Walls Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR PRO® Block Filler Primer (PR50)
 Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

Primer: BEHR PRO® Block Filler Primer (PR50)
 Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler Primer (PR50)
 Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler Primer (PR50)
 Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Waterborne Epoxy, High Performance Architectural: (Wet Areas)

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler Primer (PR50)
 Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Handrails, Miscellaneous Metal

Latex, Anti-Viral/Anti-Bacterial, Low Odor/VOC

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Light Industrial Coating:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

CENTRAL SUPPLY, RECEIVING ROOM, STORAGE AREA

Gypsum Board – Walls

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Gypsum Board: Ceilings

Latex, Institutional, Low Odor/VOC Finish

Flat Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)



Latex, Institutional, Low Odor/Zero VOC

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete Masonry Units (CMU) – Walls Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

Primer: BEHR PRO® Block Filler Primer (PR50)
Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler Primer (PR50)
Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

Primer: BEHR PRO® Block Filler Primer (PR50)
Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler Primer (PR50)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

GYMNASIUM, PHYSICAL EDUCATION, LOCKER ROOMS, STORAGE ROOMS

Gypsum Board: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Waterborne Epoxy, High Performance Architectural: (Wet Areas) Semi-Gloss Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Gypsum Board: Ceilings

Waterborne Epoxy, High Performance Architectural: (Wet Areas) Semi-Gloss Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete and Pre-Cast Concrete – Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Waterborne Epoxy, High Performance Architectural: (Wet Areas) Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete Masonry Units (CMU) – Walls Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR PRO® Block Filler Primer (PR50)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler Primer (PR50)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler Primer (PR50)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Waterborne Epoxy, High Performance Architectural: (Wet Areas) Low Odor/VOC Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler Primer (PR50)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Steel and Iron Metal: Doors, Door Frames, and Miscellaneous Ferrous Metal

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Light Industrial Coating: Low Odor/ VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)



Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

EXPOSED METAL CEILINGS AND DECKING

Ferrous Metal Decking – Including Joists, Girders and Trusses

Dry Fall, Water-Based Coating: Low Odor/VOC

Flat Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® HPC Waterborne Acrylic Dryfall Flat (HP210 White) (HP211 Black)

Non-Ferrous Metal Decking – Including Straps and Ties

Dry Fall, Water-Based Coating: Low Odor/VOC

Flat Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® HPC Waterborne Acrylic Dryfall Flat (HP210 White) (HP211 Black)

HEALTH SERVICES AND NURSES OFFICE - WORKSPACE

Gypsum Board: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Satin Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Satin Enamel (7750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Gypsum Board: Ceilings

Latex, Institutional, Low Odor/Zero VOC Finish

Flat Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)



Latex, High Performance Architectural, Low Odor/ VOC

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Satin Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Two Coats: BEHR ULTRA Scuff Defense® Interior Satin Enamel (7750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete Masonry Units CMU: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)
Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)
Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

Primer: BEHR PRO® Block Filler Primer (PR50)
Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Satin Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)
Two Coats: BEHR ULTRA Scuff Defense® Interior Satin Enamel (7750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Light Industrial Coating:

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Steel and Iron Metal: Doors, Door Frames, and Miscellaneous Ferrous Metal

Latex, Anti-Viral/Anti-Bacterial, Low Odor/VOC

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior/Exterior Metal Primer (435)
Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)



Light Industrial Coating:

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

LIBRARY, MEDIA OFFICE, MULTIMEDIA WORKROOM, COMMUNITY CENTER

Gypsum Board: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/VOC

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Gypsum Board: Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/VOC

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Concrete Masonry Units (CMU) – Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/VOC

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR PRO® Block Filler Primer, (PR50)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)



Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR PRO® Block Filler Primer, (PR50)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

- Primer: BEHR PRO® Block Filler Primer, (PR50)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Light Industrial Coating: Low Odor/VOC

Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Steel and Iron Metal: Doors, Door Frames, and Miscellaneous Ferrous Metal

Latex, Anti-Viral/Anti-Bacterial, Low Odor/ Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

NATATORIUM, SWIMMING FACILITIES, POOL AREA

Gypsum Board – Walls (Dry Areas, Closets, Locker Rooms, Restrooms, Storerooms)

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Gypsum Board – Walls (Wet Areas, Not Showers)

Semi-Gloss Finish: Waterborne Epoxy, High Performance Architectural: (Wet Areas) Low Odor / VOC

- Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



Gypsum Board – Ceilings (Wet Areas, Not Showers)

Eggshell Finish: Waterborne Epoxy, High Performance Architectural: (Wet Areas) Low Odor/ VOC
 Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
 Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete and Pre-Cast Concrete – Walls (Wet Areas, Not Showers)

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)
 Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
 Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

High Performance Architectural, Low Odor/VOC: (Wet Areas)

Eggshell Finish: Waterborne Epoxy
 Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
 Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)
Semi-Gloss Finish: Waterborne Epoxy
 Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
 Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete Masonry Units – Walls (Wet Areas, Not Showers)

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)
 Primer: BEHR PRO® Block Filler Primer (PR50)
 Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

High Performance Architectural, Low Odor/VOC: (Wet Areas)

Eggshell Finish: Waterborne Epoxy
 Primer: BEHR PRO® Block Filler Primer (PR50)
 Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
Semi-Gloss Finish: Waterborne Epoxy
 Primer: BEHR PRO® Block Filler Primer (PR50)
 Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)
 Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
 Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

High Performance Architectural, Low Odor/VOC: (Wet Areas):

Semi-Gloss Finish
 Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
 Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Steel and Iron Metal: Doors, Door Frames, and Miscellaneous Ferrous Metal

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)
 Primer: BEHR® Interior/Exterior Metal Primer (435)
 Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish
 Primer: BEHR® Interior/Exterior Metal Primer (435)
 Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

High Performance Architectural, Low Odor/VOC: (Wet Areas):

Semi-Gloss Finish
 Primer: BEHR® Interior/Exterior Metal Primer (435)
 Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



JANITORIAL WORKROOM, CUSTODIAL, MAINTENANCE ROOMS, CLOSETS, STORAGE

Gypsum Board and Plaster: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Gypsum Board: Ceilings

Latex, Institutional, Low Odor/Zero VOC Finish

Flat Finish

Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)

Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC:

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Latex, High Performance Architectural, Low Odor/VOC:

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC:

Eggshell Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete Masonry Units CMU: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: (Wet Areas): Low Odor/ VOC

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



Wood Opaque: Pre-Primed and Painted Doors, Door Frames, Trim, Base, and Woodwork

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: (Wet Areas): Low Odor/ VOC

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Laminate and Fiberglass Reinforced Plastic (FRP)

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

Primer: BEHR® Interior /Exterior Bonding Primer (432)

Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

Primer: BEHR® Interior /Exterior Bonding Primer (432)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: (Wet Areas – Not Showers): Low Odor/VOC

Eggshell Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

High Performance, Epoxy, Pre-Catalyzed, Waterborne:

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Steel and Iron Metal: Doors, Door Frames, and Miscellaneous Ferrous Metal

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: (Wet Areas): Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

RESTROOMS, TOILETS

Gypsum Board and Plaster: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: (Wet Areas): Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Gypsum Board: Ceilings

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete and Pre-Cast Concrete: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: (Wet Areas) Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



Concrete Masonry Units CMU: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: (Wet Areas) Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR PRO® Block Filler and Primer (PR050)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Wood Opaque: Pre-Primed and Painted Doors, Door Frames, Trim, Base, and Woodwork

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Laminate and Fiberglass Reinforced Plastic (FRP)

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR® Interior /Exterior Bonding Primer (432)

Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: (Wet Areas) Low Odor/VOC

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

Primer: BEHR® Interior/Exterior Bonding Primer (432)

Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Steel and Iron Metal: Doors, Door Frames, and Miscellaneous Ferrous Metal

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

Primer: BEHR® Interior/Exterior Metal Primer (435)

Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)



Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

SAFETY AND SECURITY OFFICES

Gypsum Board and Plaster: Walls

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Gypsum Board: Ceilings

Latex, Institutional, Low Odor/Zero VOC Finish

Flat Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete: Walls

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC

Eggshell Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Concrete Masonry Units CMU: Walls

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Wood Opaque: Pre-Primed and Painted Doors, Door Frames, Trim, Base, and Woodwork

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



Steel and Iron Metal: Doors, Door Frames, Cabinets, Piping, and Miscellaneous Ferrous Metal

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

STAFF DINING, TEACHER LOUNGE, LOCKER ROOM, STAFF RESTROOMS, TOILET ROOMS

Gypsum Board and Plaster: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Gypsum Board: Ceilings

Latex, Institutional, Low Odor/Zero VOC Finish

Flat Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Gypsum Board – Bathrooms, Restrooms, Walls and Ceilings (Wet Areas)

Latex, High Performance Architectural, Low Odor/VOC:

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete and Pre-Cast Concrete – Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)



Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC

Eggshell Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete Masonry Units CMU: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Latex, Institutional, Low Odor/Zero VOC Finish

Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete Masonry Units CMU: Bathrooms, Restrooms, Walls and Ceilings (Wet Areas)

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Wood Opaque: Pre-Primed and Painted, Doors, Door Frames, Trim, Base, and Woodwork

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)



Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Laminate and Fiberglass Reinforced Plastic (FRP)

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior /Exterior Bonding Primer (432)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

TECHNOLOGY EDUCATION, COMPUTER AND TECH ED LAB, SCIENCE LAB, STORAGE

Gypsum Board and Plaster: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Eggshell Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)



Semi-Gloss Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Gypsum Board: Ceilings

Latex, Institutional, Low Odor/Zero VOC Finish

Flat Finish

- Primer: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Two Coats: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Eggshell Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor/Zero VOC

Semi-Gloss Finish

- Primer: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete Masonry Units CMU: Walls

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Eggshell Finish (virucidal and antibacterial paint)

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR® Copper Force™ Interior Eggshell Enamel (2190)

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Eggshell Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler and Primer (PR050)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Wood Opaque: Pre-Primed and Painted Doors, Door Frames, Trim, Base, and Woodwork

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Latex, High Performance Architectural, Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Acrylic-Alkyd Enamel Undercoater (437)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Laminate and Fiberglass Reinforced Plastic (FRP)

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Bonding Primer (432)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Steel and Iron Metal: Doors, Door Frames, and Miscellaneous Ferrous Metal

Latex, Anti-Viral/Anti-Bacterial, Low Odor/Zero VOC Finish

Semi-Gloss Finish (virucidal and antibacterial paint)

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Copper Force™ Interior Semi-Gloss Enamel (3190)

Light Industrial Coating: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

High Performance, Epoxy, Pre-Catalyzed, Waterborne: Low Odor/VOC

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Latex, Institutional, Low Odor/Zero VOC Finish

Semi-Gloss Finish

- Primer: BEHR® Interior/Exterior Metal Primer (435)
- Two Coats: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

CONCRETE FLOORS – PAINTED, LIGHT PEDESTRIAN TRAFFIC

Concrete, New or Existing Painted Surfaces

Smooth, Water-Based: Low Odor/ VOC Coating:
Low-Lustre Finish

- Primer: BEHR® Concrete & Masonry Bonding Primer (880)
- Two Coats: BEHR® Porch & Patio Low-Lustre Paint (6050)



Concrete, New or Existing Painted Surfaces

Anti-Slip, Water-Based, Low Odor/ VOC Coating:
Low-Lustre Finish,

Primer: BEHR® Concrete & Masonry Bonding Primer (880)

Two Coats: BEHR® Porch & Patio Anti-Slip Textured Low-Lustre Paint (6250)

**CONCRETE FLOORS – PAINTED, MEDIUM - HEAVY TRAFFIC
(CORRIDORS, CAFETERIA, KITCHEN, LABS, RESTROOMS)**

Concrete: Previously Painted

Water-Based, Catalyzed Aliphatic Polyurethane Coating: Low Odor/VOC

High Gloss Finish

Primer: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5360)

Second Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5360)

Third Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5360)

Matte Finish

Primer: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)

Second Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)

Third Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)

Concrete: Not Painted

Water-Based, Catalyzed Aliphatic Polyurethane Coating:

High Gloss Finish

Primer: Monochem 21 Epoxy Primer (2121)

First Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5360)

Second Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5360)

Matte Finish

Primer: Monochem 21 Epoxy Primer (2121)

First Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)

Second Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)

WOOD – INTERIOR STAINED AND TRANSPARENT FINISHES

Wood: Water-Based Polyurethane over Water-Based Stain

Stain Coat: BEHR® Fast Drying Water – Based Wood Stain (B4500)

Three Coats: BEHR® Fast Drying Water – Based Polyurethane

- a. BEHR® Fast Drying Water-Based Polyurethane Matte (B8106)
- b. BEHR® Fast Drying Water-Based Polyurethane Satin (B8100)
- c. BEHR® Fast Drying Water-Based Polyurethane Semi-Gloss (B8102)
- d. BEHR® Fast Drying Water-Based Polyurethane Semi-Gloss (B8104)

WOOD – INTERIOR CLEAR TRANSPARENT FINISHES

Wood: Water-Based Polyurethane over Water-Based Stain

Three Coats: BEHR® Fast Drying Water – Based Polyurethane

- a. BEHR® Fast Drying Water-Based Polyurethane Matte (B8106)
- b. BEHR® Fast Drying Water-Based Polyurethane Satin (B8100)
- c. BEHR® Fast Drying Water-Based Polyurethane Semi-Gloss (B8102)
- d. BEHR® Fast Drying Water-Based Polyurethane Semi-Gloss (B8104)



EXTERIOR PAINT SCHEDULE 09 9113 EXTERIOR PAINTING

CONCRETE

Precast, Poured in Place and Tilt-Up Concrete – Walls

Flat Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

High Build Waterproofing Coating

Flat Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR® Exterior High Build Coating (4700)

STUCCO AND CEMENT PLASTER

Stucco, EIFS and Cement Plaster – Walls

Flat Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

FIBER CEMENT: PRE-PRIMED

Fiber Cement – Walls

Flat Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

CONCRETE MASONRY UNITS (CMU)

Concrete Block and Cinder Block – Walls

Flat Finish

- Primer: BEHR PRO® Block Filler Primer (PR050)
- Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

- Primer: BEHR PRO® Block Filler Primer (PR050)
- Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

- Primer: BEHR PRO® Block Filler Primer (PR050)
- Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

CONCRETE, UNFINISHED DECKS, STONE AND BRICK

Exterior Concrete: Horizontal and Vertical Surfaces

Clear, Water-Based Sealer and Waterproofer:

- Primer: BEHR PREMIUM® Concrete & Masonry Protector & Waterproofer (980)
- Second Coat: BEHR PREMIUM® Concrete & Masonry Protector & Waterproofer (980)

WOOD: PAINTED

Wood and Wood Composites: Painted.

Flat Finish

- Spot Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

- Spot Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

- Spot Primer: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
- Two Coats: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

WOOD: STAINED

Wood and Wood Composites: Stained

Stained, Solid Color Finish

- Stain Coat: BEHR PREMIUM® Solid Color Waterproofing Stain & Sealer (5011)

Wood, Engineered Synthetic Wood and Pressure Treated Lumber: Stained

Stained, Semi-Transparent Finish

- Stain Coat: BEHR PREMIUM® Semi-Transparent Waterproofing Stain & Sealer (5077)

WOOD – EXTERIOR CLEAR TRANSPARENT FINISHES

Wood: Water-Based Spar Urethane

- Three Coats: BEHR® Water-Based Spar Urethane
 - a. BEHR® Water-Based Spar Urethane Satin (B8200)
 - b. BEHR® Water-Based Spar Urethane Semi-Gloss (B8202)
 - c. BEHR® Water-Based Spar Urethane Gloss (B8204)



FERROUS METAL: STEEL AND WROUGHT IRON

Eggshell Finish – Light Industrial Coating

Primer: BEHR® Interior/Exterior Metal Primer (435)
 Two Coats: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish – Light Industrial Coating

Primer: BEHR® Interior/Exterior Metal Primer (435)
 Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Gloss Finish – Light Industrial Coating

Primer: BEHR® Interior/Exterior Metal Primer (435)
 Two Coats: BEHR® Interior/Exterior Direct-To-Metal Gloss Paint (8200)

NON-FERROUS METAL: GALVANIZED METAL, ALUMINUM AND BRASS

Eggshell Finish – Light Industrial Coating

Primer: BEHR® Interior/Exterior Metal Primer (435)
 Two Coats: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish – Light Industrial Coating

Primer: BEHR® Interior/Exterior Metal Primer (435)
 Two Coats: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Gloss Finish – Light Industrial Coating

Primer: BEHR® Interior/Exterior Metal Primer (435)
 Two Coats: BEHR® Interior/Exterior Direct-To-Metal Gloss Paint (8200)

END OF SECTION 099113