



HEALTHCARE FACILITIES GUIDE PAINTING SPECIFICATIONS

09 91 23 Interior Painting
09 91 13 Exterior Painting

December 2019

If you have any questions regarding Behr Painting Specifications,
please contact specs@behr.com.



Paint
Company

1801 E. St. Andrew Place, Santa Ana, California 92705 • 714 545-7101

GUIDE INDEX

Finish Coats	4-5
Surface Preparation	5-6
Project Conditions for Painting Exterior Surfaces	6

INTERIOR PAINT SYSTEMS:

Admissions.....	7-8
Reception, Waiting Areas, Lobbies, Common Areas.....	8-9
Offices, Conference Rooms, Multi-Purpose Rooms	10
Hallways, Corridors, Common Areas.....	11-13
Nurses Stations, Administrative Center	13-14
Examination, Consulting and Treatment Rooms.....	14-15
Medical/Clinical Pathology and Laboratories, LABS	15-16
Imaging / Radiology.....	16-17
Patient Rooms.....	18-19
Labor and Delivery, Recovery and Maternity Suites	19-21
Nursery.....	21-22
Emergency Room, ER or ED	22-23
Intensive Care Unit, ICU, SICU, SUBICU	24-25
Neonatal Intensive Care Unit, NICU.....	25-26
Operating Rooms, OR, Surgical Suites, Medical/Surgical Units, Med Surg Unit	27-28
Patient Recovery Rooms, Post OP	28-29
Patient Rehabilitation and Therapy Rooms	29-30
Pharmacy.....	30-31
Kitchen, Food Preparation and Food Services	32-33
Cafeteria, Restaurants and Café	33-34
Medical Staff Lounge, Breakrooms, Storage Lockers, Toilet Rooms	35-36
Linen and Laundry Services	36-37
Central Sterile Services, CSSD	38-39
Central Supply Room.....	39-40
Janitorial Office, Break Room and Common Space.....	40-41
Custodian Rooms, Janitorial Closets, Storage and Utility Rooms	41-42
Public Restrooms	43-44
Engineering and Facilities Offices, Storage Rooms and Common Areas.....	44-45
Concrete Floors.....	45-46

GUIDE INDEX

EXTERIOR PAINT SYSTEMS:

Concrete.....	47
Stucco and Cement Plaster.....	47
Fiber Cement - Pre-Primed.....	48
Concrete Masonry Units (CMU).....	48
Concrete, Unfinished Decks, Stone and Brick.....	48
Wood: Painted.....	49
Wood: Stained.....	49
Ferrous Metal: Steel and Wrought Iron.....	49
Non-Ferrous Metal: Galvanized Metal, Aluminum and Brass.....	50

BEHR® PAINT PRODUCTS

The painting schedule outlined in this guide are not all inclusive of products available from Behr Paint Company. Architects and specifiers should review the products and make changes that they deem fit for the specific project or requirement.

BEHR® and KILZ® Coatings in this guide comply with all local, state and federal VOC regulations, including South Coast Air Quality Management District (SCAQMD) Rule 1113, which is considered as the most stringent VOC regulations in the nation. In addition, many of the products help project earn LEED® credits, as well as meet or exceed Master Painters Institute® (MPI) environmental and performance standards.

FINISH COATS

BEHR PREMIUM PLUS® Interior Paints are a line of premium interior paints that provide durable and washable finishes. They also have low odor and excellent touch-up properties. Available in Flat, Eggshell Satin, Semi-Gloss and Hi-Gloss sheens.

BEHR PRO® i300 Series Interior Paints are a top-line professional quality latex paints, which provide superior hide and coverage, excellent sprayability, and superior touch-up. Available in Flat, Eggshell and Semi-Gloss finishes.

BEHR PRO® Pre-Catalyzed Waterborne Epoxy is a single-component acrylic epoxy coating designed for interior use in commercial, institutional, and industrial facilities. This product provides exceptional adhesion as well as resistance to abrasion, stains, and most chemicals making it ideal for high maintenance areas subject to frequent cleaning. Available in Eggshell and Semi-Gloss sheens.

BEHR PREMIUM® Interior/Exterior Direct-To-Metal Paint is engineered for excellent adhesion to a variety of properly prepared or primed residential and light commercial metal surfaces. It provides a durable finish that withstands tough elements on both interior and exterior surfaces. Also suitable for use on other properly prepared and primed drywall, wood and masonry. Available in Eggshell Semi-Gloss and Gloss sheens.

BEHR PREMIUM® Porch & Patio Floor Paint is an interior/exterior latex paint designed to provide a durable, mildew-resistant finish that resists scuffing, fading, cracking and peeling for horizontal applications. Available in Low Lustre and Gloss sheens.

BEHR PREMIUM PLUS® Exterior Paints are a line of premium exterior paints that provides a mildew-resistant finish with excellent durability and hide. It resists moisture, fading, and staining. Available in Flat, Satin, Semi-Gloss and Gloss sheens.

BEHR PRO® e600 Series Exterior Paints are a top-line, professional quality exterior paints that provide superior hide and coverage, excellent sprayability, and superior touch-up. Available in Flat, Satin and Semi-Gloss sheens.

BEHR PREMIUM® Exterior High Build Coating is formulated as a self-priming coating over concrete and masonry surfaces. It is a flexible, long-lasting smooth waterproofing coating that withstands wind-driven rain up to 98 mph and may be applied directly to “HOT” masonry surfaces with pH levels up to 13. This coating also provides a breathable film that has an elongation of up to 350%.



BEHR PREMIUM® Protector & Waterproofer is an interior/exterior water-based waterproofer formulated with silicone to penetrate into the surface to help keep water out and shield against salt damage and corrosion. This product also reduces staining caused by mold and mildew and ensures greater durability of the surface.

BEHR PREMIUM® Semi-Transparent Waterproofing Stain & Sealer is a 100% acrylic formula that seals out the elements, and sun's harmful UV rays, for decks, fences & siding. It's available in a curated collection of 60 color choices designed to help create a look that's as beautiful as it is durable.

BEHR PREMIUM® Solid Color Waterproofing Stain & Sealer is a 100% acrylic formula that seals out the elements, and sun's harmful UV rays, for decks, fences and siding. It forms a highly durable and mildew-resistant finish that resists scuffing, cracking, peelings and blistering.

MONOCHEM PERMASHIELD® 200* is an advanced two-component water-based, aliphatic polyurethane that exhibits outstanding film hardness and excellent resistance against abrasion, chemicals, stains, direct/reverse impacts and ultraviolet light. When applied with a full broadcast of silica sand #30 over concrete, the coating provides a coefficient of friction (ASTM C1028) of 0.76 (wet) and 0.89 (dry). It is low odor and low VOC. Available in matte and high gloss, and in clear or colors.

*MONOCHEM PERMASHIELD 200 is not manufactured by Behr Paint Company. It is offered as an outsourced product in the BEHR PRO® third-party product program.

SURFACE PREPARATION

Clean surfaces to receive paint thoroughly of substances, which could impair adhesion of paints, including dust, dirt, oil and grease before application of any coatings. Prepare surfaces as follows:

WOOD: Remove mill glaze and dust, sand smooth. Fill open joints, cracks, nail holes and other pits or depressions flush and smooth with wood filler after priming. Use wood putty to match finish paint coat. Touch up knots or sap streaks with a stain-blocking sealer before priming.

CONCRETE, PRE-CAST CONCRETE, TILT-UP: Remove release agents, curing compounds, loose particles, efflorescence and chalk. Do not coat surfaces if moisture content or alkalinity of surface to be coated exceeds that permitted in the manufacturer's written instructions. Prime with an alkali-resistant primer.

PLASTER and STUCCO: Fill hairline cracks, small holes and imperfections on surfaces with patching compound. Smooth off to match adjacent surfaces. Apply an alkali-resistant primer or wash with fresh water and neutralize high alkalinity surfaces where they occur.

MASONRY: Remove efflorescence and chalk. Do not coat surfaces if moisture content or alkalinity of surface to be coated exceeds that permitted in the manufacturer's written instructions. Prime with an alkali-resistant primer.

SHOP-PRIMED STEEL: Solvent clean according to SSPC-SP1. Remove loose primer and rust, contaminants and foreign matter. Prime bare steel and touch up abrasions with a ferrous metal primer.

STEEL, FERROUS METAL: Remove rust, mill scale, foreign substances and shop primer. Clean according to SSPC-SP3, "Power Tool Cleaning", or abrasive blasting cleaning according to SSPC-SP6 "Commercial Blast Cleaning" as required. Protect surface from corrosion until application of primer.



GALVANIZED METAL: Remove oils, passivators and clean entire surface with an appropriate solvent. Pre-treat with a phosphoric acid etching solution to promote adhesion of subsequently applied coatings.

PHOSPHATIZED METAL or GALVANNEALED METAL shall not be chemically etched. Clean and apply suitable metal primer.

ALUMINUM: Solvent clean according to SSPC-SP1. Remove loose surface oxidation.

GYPSUM BOARD: Remove dust and foreign matter. Fill pits flush and smooth with joint compound and where required, apply skim coat to provide the required Level of Finish. Apply suitable patching compound to repair gauges, holes and voids. Sand smooth and clean to a dust free surface.

WARNING If you scrape, sand or remove old paint, you may release lead dust. Lead is toxic. Exposure to lead dust can cause serious illness, such as brain damage, especially in children. Pregnant women should also avoid exposure. Wear a NIOSH-approved respirator to control lead exposure. Clean up carefully with a HEPA vacuum and a wet mop. Before you start, find out how to protect yourself and your family by contacting the National Lead Information Center at 1-800-424-LEAD or log on to www.epa.gov/lead.

PROJECT CONDITIONS FOR PAINTING EXTERIOR SURFACES

Do not apply paint or coatings when temperature is below 50°F (unless otherwise noted). Do not apply exterior paint in damp or rainy weather; ensure that the surface has dried thoroughly before proceeding. Surface temperature must be at least 5°F above dew point before painting.

INTERIOR PAINT SCHEDULE (09 91 23 INTERIOR PAINTING)

ADMISSIONS

Gypsum Board/Plaster – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Satin Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Satin Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR PRO® Block Filler and Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Satin Finish

- First Coat: BEHR PRO® Block Filler and Primer (PR050)
- Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)
- Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
- Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Light Industrial Coating:

Semi-Gloss Finish

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)
- Third Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
- Third Coat: BEHR® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

RECEPTION, WAITING AREAS, LOBBIES, AND COMMON AREAS

Gypsum Board/Plaster – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

- First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)
- Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Satin Finish

- First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)
- Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

- First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)
- Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)
- Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Satin Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)
- Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Concrete Masonry Units (CMU) – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

- First Coat: BEHR PRO® Block Filler and Primer (PR050)
- Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)
- Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Satin Finish

- First Coat: BEHR PRO® Block Filler and Primer (PR050)
- Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)
- Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

- First Coat: BEHR PREMIUM PLUS® Interior Drywall Primer & Sealer (73)
- Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
- Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Light Industrial Coating:

Semi-Gloss Finish

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)
- Third Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)



OFFICES, CONFERENCE ROOMS AND MULTI-PURPOSE ROOMS

Gypsum Board – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Satin Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Satin Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR PRO® Block Filler and Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Satin Finish

First Coat: BEHR PRO® Block Filler and Primer (PR050)

Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

HALLWAYS, CORRIDORS AND COMMON AREAS

Gypsum Board – Walls

Latex, Institutional, Low Odor/VOC:

Satin Finish

- First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)
- Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Optional: Eggshell Finish

- First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)
- Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

- First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

- First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)
- Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Satin Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)
- Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Optional: Eggshell Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)
- Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Satin Finish

- First Coat: BEHR PRO® Block Filler Primer (PR050)
- Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)
- Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Optional: Eggshell Finish

- First Coat: BEHR PRO® Block Filler Primer (PR050)
- Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)
- Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

- First Coat: BEHR PRO® Block Filler Primer (PR050)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell Paint (HP140)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell Paint (HP140)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
- Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss Paint (HP150)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss Paint (HP150)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Light Industrial Coating:

Semi-Gloss Finish

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)
- Third Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss Paint (HP150)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss Paint (HP150)

Non-Ferrous Metal – Galvanized Metal and Aluminum

Light Industrial Coating:

Eggshell Finish

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)
- Third Coat: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)



Optional: Latex, High Performance Architectural: Eggshell

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell Paint (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell Paint (HP140)

Light Industrial Coating: Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Third Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss Paint (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss Paint (HP150)

NURSES' STATION, ADMINISTRATIVE CENTER

Gypsum Board – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional Satin Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Satin Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Satin Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss Paint (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss Paint (HP150)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Light Industrial Coating:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Third Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

EXAMINATION, CONSULTING AND TREATMENT ROOMS**Gypsum Board – Walls**

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Satin Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

MEDICAL / CLINICAL PATHOLOGY AND LABORATORIES, LAB**Gypsum Board – Walls**

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR PREMIUM PLUS® Interior Drywall Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR PREMIUM PLUS® Interior Drywall Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR PREMIUM PLUS® Interior Drywall Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete and Pre-Cast Concrete – Walls

Latex, High Performance Architectural:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell Paint (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell Paint (HP140)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss Paint (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss Paint (HP150)



Concrete Masonry Units CMU – Walls

Latex, High Performance Architectural:

Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell Paint (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell Paint (HP140)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss Paint (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss Paint (HP150)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, High Performance Architectural:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss Paint (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss Paint (HP150)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal**Semi-Gloss Finish**

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss Paint (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss Paint (HP150)

IMAGING / RADIOLOGY**Gypsum Board – Walls**

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR PREMIUM PLUS® Interior Drywall Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Satin Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)



Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Satin Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Satin Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



PATIENT ROOMS

Gypsum Board – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Gypsum Board – Inpatient Bathroom / Toilet Walls and Ceilings

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Gypsum Board – Inpatient Bathroom / Toilet Walls and Ceilings, Wet Areas

Latex, High Performance Architectural:

Semi-Gloss Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Concrete and Pre-Cast Concrete – Inpatient Bathroom / Toilet Walls and Ceilings

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete and Pre-Cast Concrete – Inpatient Bathroom / Toilet Walls and Ceilings, Wet Areas

Latex, High Performance Architectural:

Semi-Gloss Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

- First Coat: BEHR PRO® Block Filler Primer (PR050)
- Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)
- Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Concrete Masonry Units CMU – Inpatient Bathroom / Toilet Walls and Ceilings

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

- First Coat: BEHR PRO® Block Filler Primer (PR050)
- Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
- Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete Masonry Units CMU – Inpatient Bathroom / Toilet Walls and Ceilings, Wet Areas

Latex, High Performance Architectural:

Semi-Gloss Finish

- First Coat: BEHR PRO® Block Filler Primer (PR050)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
- Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

LABOR AND DELIVERY, RECOVERY AND MATERNITY SUITES

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
- Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Light Industrial Coating: Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Third Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Gypsum Board – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)



Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

NURSERY**Gypsum Board – Walls**

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)



Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

EMERGENCY ROOM, ER OR ED**Gypsum Board – Walls**

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)



Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



INTENSIVE CARE UNIT, ICU, SICU, AND SUBICU

Gypsum Board – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

NEONATAL INTENSIVE CARE UNIT, NICU**Gypsum Board – Walls**

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)



Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



OPERATING ROOMS, OR - SURGICAL SUITES, MEDICAL/SURGICAL UNITS, MED SURG UNITS

Gypsum Board – Walls

Latex, High Performance Architectural:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Gypsum Board – Ceilings

Latex, High Performance Architectural:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Concrete and Pre-Cast Concrete – Walls

Latex, High Performance Architectural:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete Masonry Units CMU – Walls

Latex, High Performance Architectural:

Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, High Performance Architectural:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, High Performance Architectural:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

PATIENT RECOVERY ROOMS, POST-OP**Gypsum Board – Walls**

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

PATIENT REHABILITATION AND THERAPY ROOMS**Gypsum Board – Walls**

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Latex, High Performance Architectural: Wet Areas

Semi-Gloss Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Latex, High Performance Architectural: Wet Areas

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)



Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Latex, High Performance Architectural: Wet Areas

Semi-Gloss Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

PHARMACY

Gypsum Board – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Latex, High Performance Architectural:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Latex, High Performance Architectural:

Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

KITCHEN, FOOD PREPARATION AND FOOD SERVICES

Gypsum Board – Walls

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

- First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
- Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Wet Areas Semi-Gloss Finish

- First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

- First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
- Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Wet Areas Semi-Gloss Finish

- First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
- Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

- First Coat: BEHR PRO® Block Filler Primer (PR050)
- Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
- Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

CAFETERIA, RESTAURANT AND CAFÉ

Gypsum Board – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

- First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)
- Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)
- Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

- First Coat: BEHR PRO® Block Filler Primer (PR050)
- Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)
- Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Eggshell Finish

- First Coat: BEHR PRO® Block Filler Primer (PR050)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
- Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
- Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

MEDICAL STAFF LOUNGE, BREAKROOMS, STORAGE LOCKERS, TOILET ROOMS

Gypsum Board – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Wet Areas Semi-Gloss Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

LINEN AND LAUNDRY SERVICES (INCLUDING WET AREAS)**Gypsum Board – Walls**

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Wet Areas Semi-Gloss Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



Optional: Latex, High Performance Architectural: Wet Areas Semi-Gloss Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)
 Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
 Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
 Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
 Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
 Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
 Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)
 Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
 Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)
 Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
 Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
 Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
 Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Wet Areas Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
 Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
 Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal Wet Areas

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)
 Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
 Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



Optional: Latex, High Performance Architectural: Wet Areas Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

CENTRAL STERILE SERVICES, CSSD**Gypsum Board – Walls**

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Wet Areas Semi-Gloss Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Wet Areas Semi-Gloss Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Wet Areas Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

CENTRAL SUPPLY ROOM**Gypsum Board – Walls**

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

JANITORIAL OFFICE, BREAK ROOM AND COMMON SPACE

Gypsum Board – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

CUSTODIAN ROOMS, JANITORIAL CLOSETS, STORAGE AND UTILITY ROOMS

Gypsum Board – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Wet Areas Semi-Gloss Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Wet Areas Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Wet Areas Semi-Gloss Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)



1801 E. St. Andrew Place, Santa Ana, California 92705 • (714) 545-7101

PUBLIC RESTROOMS

Gypsum Board – Walls

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

- First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
- Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Wet Areas Semi-Gloss Finish

- First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

- First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)
- Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
- Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
- Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Wet Areas Semi-Gloss Finish

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

- First Coat: BEHR PRO® Block Filler Primer (PR050)
- Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
- Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Optional: Latex, High Performance Architectural: Wet Areas Semi-Gloss Finish

- First Coat: BEHR PRO® Block Filler Primer (PR050)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

ENGINEERING AND FACILITIES OFFICES, STORAGE ROOMS AND COMMON AREAS**Gypsum Board – Walls**

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Wet Areas Latex, High Performance Architectural: Eggshell Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Gypsum Board – Ceilings

Latex, Institutional, Low Odor/VOC:

Flat Finish

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Concrete and Pre-Cast Concrete – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Wet Areas Eggshell Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)



Concrete Masonry Units CMU – Walls

Latex, Institutional, Low Odor/VOC:

Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Optional: Latex, High Performance Architectural: Wet Areas Eggshell Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Wood – Unpainted and Painted Doors, Door Frames, Trim and Woodwork

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Ferrous and Non-Ferrous Metal – Doors, Door Frames, Miscellaneous Metal

Latex, Institutional, Low Odor/VOC:

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

CONCRETE FLOORS – PAINTED PEDESTRIAN TRAFFIC**Concrete, New or Previously Painted Surfaces**

Water-Based, Low VOC Coating:

Low-Lustre Finish

First Coat: BEHR® Concrete & Masonry Bonding Primer (880)

Second Coat: BEHR PREMIUM® Low-Lustre Enamel Porch & Patio Floor Paint (6050)

Third Coat: BEHR PREMIUM® Low-Lustre Enamel Porch & Patio Floor Paint (6050)

CONCRETE FLOORS – PAINTED, HEAVY TRAFFIC**Concrete – Previously Painted**

Water-Based, Catalyzed Aliphatic Polyurethane Coating:

Matte Finish

First Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)

Second Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)

Third Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)



Concrete – New

Water-Based, Catalyzed Aliphatic Polyurethane Coating:

Matte Finish

First Coat: Monochem 21 Epoxy Primer (2121)

Second Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)

Third Coat: Monochem Permashield® 200 2K Water-Based Aliphatic Polyurethane (5365)

EXTERIOR PAINT SCHEDULE (09 91 13 EXTERIOR PAINTING)

CONCRETE

Precast, Poured in Place, Tilt-Up Concrete – Walls

Flat Finish

First Coat: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Second Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Third Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

First Coat: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Second Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Third Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Second Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

Third Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

Flat Finish – High Build Waterproofing Coating

First Coat: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Second Coat: BEHR PREMIUM® Exterior High Build Coating (4700)

Third Coat: BEHR PREMIUM® Exterior High Build Coating (4700)

STUCCO AND CEMENT PLASTER

Stucco, EIFS and Cement Plaster – Walls

Flat Finish

First Coat: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Second Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Third Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

First Coat: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Second Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Third Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Second Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

Third Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

FIBER CEMENT: PRE-PRIMED

Fiber Cement – Walls

Flat Finish

Spot Prime: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Second Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Third Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

Spot Prime: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Second Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Third Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

Spot Prime: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Second Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

Third Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

CONCRETE MASONRY UNITS (CMU)

Concrete Block and Cinder Block – Walls

Flat Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Third Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Third Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

First Coat: BEHR PRO® Block Filler Primer (PR050)

Second Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

Third Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

CONCRETE, UNFINISHED DECKS, STONE AND BRICK

Exterior Concrete – Horizontal and Vertical Surfaces

Clear, Water-Based Sealer and Waterproofers:

First Coat: BEHR PREMIUM® Concrete & Masonry Protector & Waterproofers (980)

Second Coat: BEHR PREMIUM® Concrete & Masonry Protector & Waterproofers (980)

WOOD: PAINTED

Wood and Wood Composites – Painted

Flat Finish

First Coat: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Second Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Third Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin Finish

First Coat: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Second Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Third Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss Finish

First Coat: BEHR® Interior/Exterior Multi-Surface Primer & Sealer (436)

Second Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

Third Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

WOOD: STAINED

Wood and Wood Composites – Stained

Stained, Solid Color Finish

Stain Coat: BEHR PREMIUM® Solid Color Waterproofing Stain & Sealer (5011)

Wood, Engineered Synthetic Wood and Pressure Treated Lumber – Stained

Stained, Semi-Transparent Finish

Stain Coat: BEHR PREMIUM® Semi-Transparent Waterproofing Stain & Sealer (5077)

FERROUS METAL: STEEL AND WROUGHT IRON

Eggshell Finish – Light Industrial Coating

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Third Coat: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish – Light Industrial Coating

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Third Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Gloss Finish – Light Industrial Coating

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR® Interior/Exterior Direct-To-Metal Gloss Paint (8200)

Third Coat: BEHR® Interior/Exterior Direct-To-Metal Gloss Paint (8200)



NON-FERROUS METAL: GALVANIZED METAL, ALUMINUM AND BRASS

Eggshell Finish – Light Industrial Coating

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Third Coat: BEHR® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss Finish – Light Industrial Coating

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Third Coat: BEHR® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Gloss Finish – Light Industrial Coating

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR® Interior/Exterior Direct-To-Metal Gloss Paint (8200)

Third Coat: BEHR® Interior/Exterior Direct-To-Metal Gloss Paint (8200)