



SECTION 09 90 00 PAINTING and COATINGS

MASTER ARCHITECTURAL PAINTING SPECIFICATION

February 2, 2021

The BEHR® paints and KILZ® primers in this specification are in conformance with LEED BD+C: |v4 - LEED v4.1 Low Emitting Materials; Paints and Coatings for qualification of all Levels of LEED v4.1 Certification; and are in conformance with the VOC content limits of the South Coast Air Quality Management District Architectural Rule 1113.

BEHR® architectural interior paints and coatings are UL GREENGUARD® Gold certified and in compliance with UL 2818 -2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings. UL GREENGUARD® Certificates of Compliance are available upon request.



1801 E. St. Andrew Place | Santa Ana, California 92705 (714) 545-7101 | Fax (714)241-1002

PART 1 - GENERAL

1.01 SUMMARY

Work includes furnishing of materials and equipment, preparation of surfaces, and completion of painting and finishing of surfaces as required by Drawings and specified herein.

1.02 RELATED WORK

- A. Factory, pre-finished items as specified in various sections
- B. Shop painting specified in respective sections
- C. Architectural woodworking
- D. Surfaces not to be painted:
 - 1. Pre-finished wall, ceiling and floor coverings
 - 2. Items with factory-applied final finish
 - 3. Concealed ducts, pipes and conduit
 - 4. Surfaces specifically scheduled or noted on Drawings not to be painted

1.03 SUBMITTALS

- A. Product data:
 - 1. Not less than thirty (30) days before beginning work, submit a complete list of materials proposed for use, together with manufacturer's specifications.
 - 2. Paint materials and products shall be subject to Architect's approval.
- B. Color samples:
 - 1. Prepare color and finishes on samples, 8-1/2" x 11" in size.
 - 2. Submit samples as requested until required sheen, color and texture is achieved.
 - 3. Prepare wood samples on type and quality of wood specified for use on project.
 - 4. Label and identify each sample as to location and application.

1.04 COLORS

- A. Colors are to be selected or approved by Architect and actual color chips shall be supplied to Contractor for matching. All undercoats shall be tinted to approximately half the color of finish coat.
- B. Approval of final colors: Do not apply final coat of paint until colors have been approved by Architect.
- C. The number of colors to be used shall be as determined by Architect. Architect reserves the right to vary colors throughout the project.

1.05 DELIVERY, STORAGE AND HANDLING

- A. Deliver paint materials in sealed original-labeled containers bearing manufacturer's name, type of paint, stock number, color and instructions for reducing or mixing, where applicable.
- B. Paint materials and equipment:
 - 1. Store only acceptable project materials on site.
 - 2. Store in a suitable location.
 - 3. Restrict storage to paint materials and related materials.
 - 4. Comply with health and fire regulations.

SECTION 09 90 00 PAINTING AND COATINGS

1.06 PROJECT CONDITIONS

- A. Comply with manufacturer's recommendations as to environmental conditions under which coatings and coating systems can be applied. Do not apply paint or coatings when temperature is below 50°F. Do not apply exterior paint in damp or rainy weather; ensure that the surface has dried thoroughly before proceeding. Surface temperature must be at least 5°F above dew point before painting.
- B. Do not apply finish in areas where dust or contaminants are being generated.
- C. Use low odor, low VOC products to minimize impact on indoor environmental air quality.

PART 2 - PRODUCTS

2.01 MATERIALS

- A. Products specified are as manufactured by Behr Paint Company, Santa Ana, California 92705. Other manufacturers to conform to materials listed and be approved by Architect.
- B. Materials selected for coating systems for each type surface shall be the product of a single manufacturer.
- C. Do not thin finish coats without the manufacturer's approval.
- D. Unsuitability of specified products: Claims concerning unsuitability of any material specified or inability to satisfactorily produce the work will not be entertained, unless such claim is made in writing to Architect before work is started.
- E. Number of coats scheduled is minimum. Apply additional coats at no additional cost if necessary to completely hide base materials, produce uniform color, and provide satisfactory finish result.
- F. Submitted paints and coatings comply with air-quality regulations and established VOC content limits of South Coast AQMD Architectural Rule 1113.

PART 3 – EXECUTION

3.01 EXAMINATION

- A. Examine surfaces scheduled to receive paint and finishes for conditions that will adversely affect execution, permanence or quality of work and which cannot be put into acceptable condition through preparatory work as included in Article 3.02 "Preparation ". Notify Owner's Representative in writing of any defects or conditions which will prevent a satisfactory installation.
- B. Examine surfaces scheduled to be finished prior to commencement of work. Report any condition that may potentially affect proper application.
- C. Maximum Moisture Content of Substrates: When measured with an electronic moisture meter as follows;
 - a. Concrete: 12 percent
 - b. Portland Cement Plaster and Stucco: 12 percent
 - c. Masonry (Clay and CMU): 12 percent
 - d. Wood: 15 percent
 - e. Gypsum Board: 12 percent
- D. Portland Cement Plaster Substrates: Verify that plaster is fully cured.
- E. Verify suitability of substrates, including surface conditions and compatibility with existing finishes and primers.
- F. Proceed with surface preparation and coating application only after unsatisfactory conditions have been corrected.
 - 1. Application of coating is construed as acceptance of surfaces and conditions.

SECTION 09 90 00 PAINTING AND COATINGS

3.02 PREPARATION

- A. Clean surfaces to receive paint thoroughly of substances, which could impair adhesion of paints, including dust, dirt, oil and grease before application of any coatings. Prepare surfaces as follows:
 - 1. WOOD SUBSTRATES: Remove mill glaze and dust, sand smooth. Fill open joints, cracks, nail holes and other pits or depressions flush and smooth with wood filler after priming. Use wood putty to match finish paint coat. Touch up knots or sap streaks with a stain-blocking sealer before priming.
 - 2. CONCRETE, PRE-CAST CONCRETE, TILT-UP: Remove release agents, curing compounds, loose particles, efflorescence and chalk. Do not coat surfaces if moisture content or alkalinity of surface to be coated exceeds that permitted in the manufacturer's written instructions. Prime with an alkali-resistant primer.
 - 3. PLASTER and STUCCO SUBSTRATES: Fill hairline cracks, small holes and imperfections on surfaces with patching compound. Smooth off to match adjacent surfaces. Apply an alkali-resistant primer or wash with fresh water and neutralize high alkalinity surfaces where they occur.
 - 4. MASONRY SUBSTRATES: Remove efflorescence and chalk. Do not coat surfaces if moisture content or alkalinity of surface to be coated exceeds that permitted in the manufacturer's written instructions. Prime with an alkali-resistant primer.
 - 5. SHOP-PRIMED STEEL SUBSTRATES: Solvent clean according to SSPC-SP1. Remove loose primer and rust, contaminants and foreign matter. Prime bare steel and touch up abrasions with a ferrous metal primer.
 - 6. STEEL, FERROUS METAL SUBSTRATES: Remove rust, mill scale, foreign substances and shop primer. Clean according to SSPC-SP3, "Power Tool Cleaning", or abrasive blasting cleaning according to SSPC-SP6 "Commercial Blast Cleaning" as required. Protect surface from corrosion until application of primer.
 - 7. GALVANIZED METAL: Remove oils, passivators and clean entire surface with an appropriate solvent. Pre-treat with a phosphoric acid etching solution to promote adhesion of subsequently applied coatings.
 - 8. PHOSPHATIZED METAL or GALVANNEALED METAL shall not be chemically etched. Clean and apply suitable metal primer.
 - 9. ALUMINUM SUBSTRATES: Solvent clean according to SSPC-SP1. Remove loose surface oxidation.
 - 10. GYPSUM BOARD SUBSTRATES: Remove dust and foreign matter. Fill pits flush and smooth with joint compound and where required, apply skim coat to provide the required finishing level based on GA-214-96, Recommended Levels of Gypsum Board Finish before application of decoration.
- B. Surfaces, which cannot be prepared or painted as specified, shall be immediately brought to attention of Architect in writing.
 - 1. Starting of work without such notification will be considered acceptance by the Contractor of surfaces involved.
 - 2. Replace unsatisfactory work caused by improper or defective surfaces as directed by Architect at no additional cost to Owner.

3.03 APPLICATION

- A. Do not apply initial coating until moisture content of surface is within limitations recommended by paint manufacturer.
- B. Application:
 - 1. Apply paint with suitable brushes, rollers or spraying equipment.
 - 2. Apply stain in accordance with manufacturer's recommendations.
 - 3. Rate of application shall not exceed that as recommended by paint manufacturer for surface involved.
- C. Comply with recommendations of product manufacturer for drying time between succeeding coats.

SECTION 09 90 00 PAINTING AND COATINGS

- D. Leave parts of molding and ornaments clean and true to details with no undue amount of paint in corners and depressions.
- E. Make edges of paint adjoining other material or color clean and sharp with no overlapping.
- F. Refinish whole wall where portion of finish is not acceptable.
- G. Apply materials evenly with appropriate film thickness and free of runs, sags, skips and other defects. Hard, glossy finishes shall be sanded lightly between coats, dusted and cleaned before recoating.
- H. Remove hardware, hardware accessories, plates, lighting fixtures and similar items in place prior to painting, and replace upon completion of each space.
- I. Disconnect heating and other equipment adjacent to walls using workmen skilled in appropriate trades, and move to permit wall surfaces to be painted. Following completion of painting, they shall be expertly replaced and reconnected.
- J. Paint visible surfaces behind vents, registers or grilles flat black.
 - 1. Wash exposed metal with solvent, then prime and paint as scheduled.
 - 2. Spray paint wherever practical.
- K. Do not paint over Underwriters' labels, fusible links or sprinkler heads.
- L. EXPOSED PLUMBING AND MECHANICAL ITEMS: Items without factory finish such as conduits, pipes, access panels and items of similar nature shall be finished to match adjacent wall and ceiling surfaces unless otherwise directed.

3.04 CLEANUP

Upon completion of work, remove equipment, excess material and debris. Remove paint splatter and leave area in a neat and orderly condition.

3.05 PROTECTION

- A. Protect work of other trades, whether to be painted or not, against damage by painting. Correct damage by cleaning, repairing or replacing and repainting, as acceptable to Architect.
- B. Provide "wet paint" signs to protect newly painted finishes. Remove temporary protective wrappings provided by others for protection of their work after completion of painting operations.
 - 1. At completion of construction activities of other trades, touch up and restore damaged or defaced painted surfaces.

3.06 FINISH SCHEDULE

- A. Finish surfaces in accordance with schedule. Catalog names and numbers refer to products as manufactured or distributed by the Behr Paint Company, Santa Ana, California 92705, except as otherwise specified by Architect.
- B. Provide paint finishes of even, uniform color, free from cloudy or mottled appearance. Properly correct non-complying work to satisfaction of Owner's representative and representative of the Behr Paint Company.
- C. Some colors, especially accent colors, may require multiple finish coats for adequate coverage and opacity.
- D. The specified number of primer and finish coats is minimum acceptable. If full coverage and opacity is not obtained with specified number of coats, apply additional coats as necessary to produce required finish.
- E. Application Finish Schedule:

EXTERIOR PAINT SCHEDULE:

SECTION 09 90 00 PAINTING AND COATINGS

1. CEMENT PLASTER and STUCCO

Flat – Premium, 100% Acrylic:

First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Second Coat: BEHR PREMIUM PLUS® Exterior Flat Paint (4050)

Third Coat: BEHR PREMIUM PLUS® Exterior Flat Paint (4050)

Satin – Premium, 100% Acrylic:

First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Second Coat: BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)

Third Coat: BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)

Flat – Professional, 100% Acrylic:

First Coat: BEHR PRO® Concrete & Masonry Primer (PR060)

Second Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Third Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin – Professional, 100% Acrylic:

First Coat: BEHR PRO® Concrete & Masonry Primer (PR060)

Second Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Third Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss – Professional, 100% Acrylic:

First Coat: BEHR PRO® Concrete & Masonry Primer (PR060)

Second Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

Third Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

2. CEMENT PLASTER and STUCCO

Flat – Premium High Build Coating, 100% Acrylic:

First Coat: BEHR PRO® Concrete & Masonry Primer (PR060)

Second Coat: BEHR PREMIUM® Exterior High Build Coating (4700)

Third Coat: BEHR PREMIUM® Exterior High Build Coating (4700)

3. CONCRETE, CEMENT PLASTER, STUCCO, MASONRY and BRICK

Low Sheen – Premium Elastomeric, 100% Acrylic:

First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Second Coat: BEHR PREMIUM® Elastomeric Masonry, Stucco & Brick Paint (68)

Third Coat: BEHR PREMIUM® Elastomeric Masonry, Stucco & Brick Paint (68)

4. CONCRETE, PRE-CAST CONCRETE, CONCRETE TILT-UP and POURED-IN-PLACE CONCRETE

Flat – Premium, 100% Acrylic:

First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Second Coat: BEHR PREMIUM PLUS® Exterior Flat Paint (4050)

Third Coat: BEHR PREMIUM PLUS® Exterior Flat Paint (4050)

Satin – Premium, 100% Acrylic:

First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Second Coat: BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)

Third Coat: BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)

Semi-Gloss – Premium, 100% Acrylic:

First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)

Second Coat: BEHR PREMIUM PLUS® Exterior Semi-Gloss Enamel Paint (5050)

Third Coat: BEHR PREMIUM PLUS® Exterior Semi-Gloss Enamel Paint (5050)

Flat – Professional, 100% Acrylic:

First Coat: BEHR PRO® Concrete & Masonry Primer (PR060)

Second Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Third Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

SECTION 09 90 00 PAINTING AND COATINGS

Satin – Professional, 100% Acrylic:

First Coat: BEHR PRO® Concrete & Masonry Primer (PR060)

Second Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Third Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss – Professional, 100% Acrylic:

First Coat: BEHR PRO® Concrete & Masonry Primer (PR060)

Second Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

Third Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

5. CONCRETE, CONCRETE TILT-UP, PRECAST CONCRETE

Flat – Premium High Build Coating, 100% Acrylic:

First Coat: BEHR PRO® Concrete & Masonry Primer (PR060)

Second Coat: BEHR PREMIUM® Exterior High Build Coating (4700)

Third Coat: BEHR PREMIUM® Exterior High Build Coating (4700)

6. CONCRETE MASONRY UNITS (CMU)

Flat – Premium, 100% Acrylic:

First Coat: BEHR PRO® Block Filler Primer (PR50)

Second Coat: BEHR PREMIUM PLUS® Exterior Flat Paint (4050)

Third Coat: BEHR PREMIUM PLUS® Exterior Flat Paint (4050)

Satin – Premium, 100% Acrylic:

First Coat: BEHR PRO® Block Filler Primer (PR50)

Second Coat: BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)

Third Coat: BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)

Semi-Gloss – Premium, 100% Acrylic:

First Coat: BEHR PRO® Block Filler Primer (PR50)

Second Coat: BEHR PREMIUM PLUS® Exterior Semi-Gloss Enamel Paint (5050)

Third Coat: BEHR PREMIUM PLUS® Exterior Semi-Gloss Enamel Paint (5050)

Flat – Professional, 100% Acrylic:

First Coat: BEHR PRO® Block Filler Primer (PR50)

Second Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Third Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin – Professional, 100% Acrylic:

First Coat: BEHR PRO® Block Filler Primer (PR50)

Second Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Third Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss – Professional, 100% Acrylic:

First Coat: BEHR PRO® Block Filler Primer (PR50)

Second Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

Third Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

7. CONCRETE MASONRY UNITS (CMU)

Flat – Premium High Build Coating, 100% Acrylic:

First Coat: BEHR PRO® Block Filler Primer (PR50)

Second Coat: BEHR PREMIUM® Exterior High Build Coating (4700)

Third Coat: BEHR PREMIUM® Exterior High Build Coating (4700)

8. CONCRETE MASONRY UNITS (CMU)

Low Sheen – Premium Elastomeric, 100% Acrylic:

First Coat: BEHR PRO® Block Filler Primer (PR50)

Second Coat: BEHR PREMIUM® Elastomeric Masonry, Stucco & Brick Paint (68)

Third Coat: BEHR PREMIUM® Elastomeric Masonry, Stucco & Brick Paint (68)

SECTION 09 90 00 PAINTING AND COATINGS

9. FIBER CEMENT
Flat – Premium, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PREMIUM PLUS® Exterior Flat Paint (4050)
Third Coat: BEHR PREMIUM PLUS® Exterior Flat Paint (4050)
Satin – Premium, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)
Third Coat: BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)
Flat – Professional, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)
Third Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)
Satin – Professional, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)
Third Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)
Semi-Gloss – Professional, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)
Third Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)
10. CONCRETE – Decks, Floors, Walkways, Porches and Patios
Low-Lustre – Premium, 100% Acrylic:
First Coat: BEHR PREMIUM® Concrete & Masonry Bonding Primer (880)
Second Coat: BEHR PREMIUM® Porch & Patio Floor Paint Low-Lustre (6050)
Third Coat: BEHR PREMIUM® Porch & Patio Floor Paint Low-Lustre (6050)
11. CONCRETE – Decks, Floors, Walkways, Porches and Patios
Anti-Slip, Textured Low-Lustre – Premium, 100% Acrylic:
First Coat: BEHR PREMIUM® Concrete & Masonry Bonding Primer (880)
Second Coat: BEHR PREMIUM® Anti-Slip Porch & Patio Floor Paint, Textured Low-Lustre (6250)
Third Coat: BEHR PREMIUM® Anti-Slip Porch & Patio Floor Paint, Textured Low-Lustre (6250)
12. CONCRETE – Decks, Floors, Walkways, Porches and Patios
Gloss – Premium, 100% Acrylic:
First Coat: BEHR PREMIUM® Concrete & Masonry Bonding Primer (880)
Second Coat: BEHR PREMIUM® Porch & Patio Floor Paint Gloss (6705)
Third Coat: BEHR PREMIUM® Porch & Patio Floor Paint Gloss (6705)
13. CONCRETE – Horizontal Surfaces, Floors and Porches
Eggshell (Satin) – Premium High-Performance Epoxy/Acrylic
Two Coats: BEHR PREMIUM® Self-Priming 1-Part Epoxy Acrylic Concrete & Garage Floor Paint (900)
14. CONCRETE, Solid Color Coating: Decks, Walkways, Pool Decks, Sidewalks
Flat – Premium, 100% Acrylic
Two Coats: BEHR PREMIUM ADVANCED DECKOVER® Smooth Coating (5000)
Texture – Premium, 100% Acrylic:
Two Coats: BEHR PREMIUM ADVANCE DECKOVER® Textured Coating (5005)
15. CONCRETE, Solid Color Stain
Flat – Premium, Siliconized, 100% Acrylic, Water Repellent:
Two Coats: BEHR PREMIUM® Solid Color Concrete Stain (800)

SECTION 09 90 00 PAINTING AND COATINGS

16. CONCRETE, Semi-Transparent Stain
Flat – Premium, Siliconized, 100% Styrene Acrylic, Water Repellent:
Two Coats: BEHR PREMIUM® Semi-Transparent Concrete Stain (850)
17. CONCRETE SEALER: Wet Look (Vertical or Horizontal Substrates)
High-Gloss – Premium, Acrylic:
Two Coats: BEHR PREMIUM® Wet-Look Sealer (985)
18. CONCRETE SEALER: Wet Look (Vertical or Horizontal Substrates)
Low Lustre – Premium, Acrylic:
Two Coats: BEHR PREMIUM Low-Lustre Sealer (986)
19. WOOD – Opaque Paint Finish
Flat – Premium, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PREMIUM PLUS® Exterior Flat Paint (4050)
Third Coat: BEHR PREMIUM PLUS® Exterior Flat Paint (4050)
Satin – Premium, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)
Third Coat: BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)
Semi-Gloss – Premium, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PREMIUM PLUS® Exterior Semi-Gloss Enamel Paint (5050)
Third Coat: BEHR PREMIUM PLUS® Exterior Semi-Gloss Enamel Paint (5050)
High Gloss – Premium, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel Paint (2-8050)
Third Coat: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel Paint (2-8050)
Flat – Professional, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)
Third Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)
Satin – Professional, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)
Third Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)
Semi-Gloss – Professional, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)
Third Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)
18. WOOD – Paint Finish, Urethane Alkyd, Low VOC, Water-Reducible Enamel
Semi-Gloss – Urethane Alkyd:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)
Third Coat: BEHR® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)
Satin – Urethane Alkyd:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR® Interior/Exterior Urethane Alkyd Satin Enamel (7900)
Third Coat: BEHR® Interior/Exterior Urethane Alkyd Satin Enamel (7900)

SECTION 09 90 00 PAINTING AND COATINGS

19. WOOD – Stain Finish – Water-Based, Semi-Transparent
Semi-Transparent – Premium, 100% Acrylic:
Two Coats: BEHR PREMIUM® Semi-Transparent Waterproofing Stain & Sealer (5077)
(5117 Russet, 5129 Chocolate, 5330 Redwood; 5533 Cedar Naturaltone)
20. WOOD – Stain Finish – Water-Based, Solid Color
Flat – Premium, 100% Acrylic:
Two Coats: BEHR PREMIUM® Solid Color Waterproofing Stain & Sealer (5011)
(50117 Russet, 50129 Chocolate, 50330 Redwood, 50533 Cedar Naturaltone)
Smooth – Premium, 100% Acrylic:
Two Coats: BEHR Premium Advanced DeckOver® Smooth Coating (5000)
Textured – Premium, 100% Acrylic:
Two Coats: BEHR Premium Advanced DeckOver® Textured Coating (5005)
21. WOOD – Transparent, Oil Based Natural Finish
One Coat: BEHR® Premium Transparent Waterproofing Oil Wood Finish (4500)
22. WOOD – Semi-Transparent, Oil Based Stain & Sealer
One Coat: BEHR® Premium Semi-Transparent Waterproofing Oil Stain & Sealer (4600)
23. WOOD – Clear Finish, Water-Based Spar Urethane
Satin – Clear Urethane
Three Coats: BEHR® Water-Based Spar Urethane Satin (B8200)
Semi-Gloss – Clear Urethane
Three Coats: BEHR® Water-Based Spar Urethane Semi-Gloss (B8202)
Gloss – Clear Urethane
Three Coats: BEHR® Water-Based Spar Urethane Gloss (B8204)
24. WOOD – Decks, Floors, Walkways, Porches and Patios
Low-Lustre – Premium, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PREMIUM® Porch & Patio Floor Paint Low-Lustre (6050)
Third Coat: BEHR PREMIUM® Porch & Patio Floor Paint Low-Lustre (6050)
25. WOOD – Decks, Floors, Walkways, Porches and Patios
Anti-Slip, Textured Low-Lustre – Premium, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PREMIUM® Anti-Slip Porch & Patio Floor Paint, Textured Low-Lustre (6250)
Third Coat: BEHR PREMIUM® Anti-Slip Porch & Patio Floor Paint, Textured Low-Lustre (6250)
26. WOOD – Decks, Floors, Walkways, Porches and Patios
Gloss – Premium, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PREMIUM® Porch & Patio Floor Paint Gloss (6705)
Third Coat: BEHR PREMIUM® Porch & Patio Floor Paint Gloss (6705)
27. STEEL, FERROUS METAL
Flat – Premium, 100% Acrylic:
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PREMIUM® Exterior Flat Paint (4050)
Third Coat: BEHR PREMIUM® Exterior Flat Paint (4050)
Satin – Premium, 100% Acrylic:
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)
Third Coat: BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)

SECTION 09 90 00 PAINTING AND COATINGS

Semi-Gloss – Premium, 100% Acrylic

First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PREMIUM PLUS® Exterior Semi-Gloss Enamel Paint (5050)
Third Coat: BEHR PREMIUM PLUS® Exterior Semi-Gloss Enamel Paint (5050)

High Gloss – Premium, 100% Acrylic:

First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel Paint (2-8050)
Third Coat: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel Paint (2-8050)

Flat – Professional, 100% Acrylic:

First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)
Third Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin – Professional, 100% Acrylic:

First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)
Third Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss – Professional, 100% Acrylic:

First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)
Third Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

28. STEEL, FERROUS METAL – Urethane Alkyd, Low VOC, Water-Reducible

Satin – Urethane Alkyd:

First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR® Interior/Exterior Urethane Alkyd Satin Enamel (7900)
Third Coat: BEHR® Interior/Exterior Urethane Alkyd Satin Enamel (7900)

Semi-Gloss – Urethane Alkyd:

First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)
Third Coat: BEHR® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)

26. STEEL, FERROUS METAL – Light Industrial Coating, Water-Based

Eggshell – Premium, Styrene Acrylic:

First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)
Third Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss – Premium, Styrene Acrylic:

First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)
Third Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Gloss – Premium, Styrene Acrylic:

First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Gloss Paint (8200)
Third Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Gloss Paint (8200)

27. GALVANIZED METAL

Flat – Premium, 100% Acrylic:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKPA30220)
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PREMIUM PLUS® Exterior Flat Paint (4050)
Third Coat: BEHR PREMIUM PLUS® Exterior Flat Paint (4050)

SECTION 09 90 00 PAINTING AND COATINGS

Satin – Premium, 100% Acrylic:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKPA30220)
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)
Third Coat: BEHR PREMIUM PLUS® Exterior Satin Enamel Paint (9050)

Semi-Gloss – Premium, 100% Acrylic:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKPA30220)
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PREMIUM PLUS® Exterior Semi-Gloss Enamel Paint (5050)
Third Coat: BEHR PREMIUM PLUS® Exterior Semi-Gloss Enamel Paint (5050)

High Gloss – Premium, 100% Acrylic:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKPA30220)
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel Paint (2-8050)
Third Coat: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel Paint (2-8050)

Flat – Professional, 100% Acrylic:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKPA30220)
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)
Third Coat: BEHR PRO® e600 Exterior Flat Paint (PR610)

Satin – Professional, 100% Acrylic:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKPA30220)
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)
Third Coat: BEHR PRO® e600 Exterior Satin Paint (PR640)

Semi-Gloss – Professional, 100% Acrylic:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKPA30220)
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)
Third Coat: BEHR PRO® e600 Exterior Semi-Gloss Paint (PR670)

28. GALVANIZED METAL – Urethane Alkyd, Low VOC, Water-Reducible Enamel

Satin – Urethane Alkyd:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKPA30220)
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR® Interior/Exterior Urethane Alkyd Satin Enamel (7900)
Third Coat: BEHR® Interior/Exterior Urethane Alkyd Satin Enamel (7900)

Semi-Gloss – Urethane Alkyd:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKPA30220)
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)
Third Coat: BEHR® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)

29. GALVANIZED METAL – Light Industrial Coating, Water-Based

Eggshell – Premium, Styrene Acrylic:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKPA30220)
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)
Third Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

SECTION 09 90 00 PAINTING AND COATINGS

Semi-Gloss – Premium, Styrene Acrylic:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKPA30220)

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Third Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Gloss – Premium, Styrene Acrylic

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKPA30220)

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Gloss Paint (8200)

Third Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Gloss Paint (8200)

INTERIOR PAINT SCHEDULE

1. GYPSUM BOARD

Flat – Premium, 100% Acrylic, Low Odor/VOC:

First Coat: BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)

Second Coat: BEHR PREMIUM PLUS® Interior Flat Paint (1050)

Third Coat: BEHR PREMIUM PLUS® Interior Flat Paint (1050)

Eggshell – Premium, 100% Acrylic, Low Odor/VOC:

First Coat: BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)

Second Coat: BEHR PREMIUM PLUS® Interior Eggshell Enamel Paint (2050)

Third Coat: BEHR PREMIUM PLUS® Interior Eggshell Enamel Paint (2050)

Satin – Premium, 100% Acrylic, Low Odor/VOC:

First Coat: BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)

Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Semi-Gloss – Premium, 100% Acrylic, Low Odor/VOC:

First Coat: BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)

Second Coat: BEHR PREMIUM PLUS® Interior Semi-Gloss Enamel Paint (3050)

Third Coat: BEHR PREMIUM PLUS® Interior Semi-Gloss Enamel Paint (3050)

High-Gloss – Premium, 100% Acrylic, Low Odor/VOC:

First Coat: BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)

Second Coat: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel Paint (2-8050)

Third Coat: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel Paint (2-8050)

Flat – Professional, Latex, Low Odor/VOC:

First Coat: BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Eggshell – Professional, Latex, Low Odor/VOC:

First Coat: BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss – Professional, Latex, Low Odor/VOC:

First Coat: BEHR® Drywall Plus Interior Primer & Sealer (73)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

2. GYPSUM BOARD – High Performance Architectural Latex Finish

Flat – High Performance, 100% Acrylic, Low Odor/VOC:

First Coat: BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)

Second Coat: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)

Third Coat: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)

SECTION 09 90 00 PAINTING AND COATINGS

Eggshell – High Performance, 100% Acrylic, Low Odor/VOC:

- First Coat: BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)
- Second Coat: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)
- Third Coat: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss – High Performance, 100% Acrylic, Low Odor/VOC:

- First Coat: BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)
- Second Coat: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)
- Third Coat: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

3. GYPSUM BOARD – High Performance Epoxy-Modified Latex Finish

Eggshell – High Performance Waterborne Epoxy, Low VOC Coating:

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss – High Performance Waterborne Epoxy, Low VOC Coating

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

4. GYPSUM BOARD - Urethane Alkyd, Low VOC, Water-Reducible Enamel

Satin – Urethane Alkyd:

- First Coat: BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)
- Second Coat: BEHR® Interior/Exterior Urethane Alkyd Satin Enamel (7900)
- Third Coat: BEHR® Interior/Exterior Urethane Alkyd Satin Enamel (7900)

Semi-Gloss – Urethane Alkyd:

- First Coat: BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)
- Second Coat: BEHR® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)
- Third Coat: BEHR® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)

5. GYPSUM BOARD – CEILINGS

Flat – Premium, 100% Acrylic, Low VOC:

- First Coat: BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)
- Second Coat: BEHR ULTRA® Stain-Blocking Ceiling Paint (5558)
- Third Coat: BEHR ULTRA® Stain-Blocking Ceiling Paint (5558)

6. GYPSUM BOARD – DRY FALL COATING (Spray Applied)

Flat – Professional, 100% Acrylic, Low VOC:

- First Coat: BEHR® Drywall Plus Interior Drywall Primer & Sealer (73)
- Second Coat: BEHR PRO® HPC Waterborne Acrylic Dryfall Paint White (HP210) Black (HP211)
- Third Coat: BEHR PRO® HPC Waterborne Acrylic Dryfall Paint White (HP210) Black (HP211)

7. CONCRETE, CONCRETE PRE-CAST, PLASTER and MASONRY

Flat – Premium, 100% Acrylic, Low Odor/VOC:

- First Coat: BEHR PREMIUM PLUS® Interior All-In-One Primer & Sealer (75)
- Second Coat: BEHR PREMIUM PLUS® Interior Flat Paint (1050)
- Third Coat: BEHR PREMIUM PLUS® Interior Flat Paint (1050)

Eggshell – Premium, 100% Acrylic, Low Odor/VOC:

- First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
- Second Coat: BEHR PREMIUM PLUS® Interior Eggshell Enamel Paint (2050)
- Third Coat: BEHR PREMIUM PLUS® Interior Eggshell Enamel Paint (2050)

Satin – Premium, 100% Acrylic, Low Odor/VOC:

- First Coat: BEHR® Interior Stain Blocking Primer & Sealer (75)
- Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)
- Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

SECTION 09 90 00 PAINTING AND COATINGS

Semi-Gloss – Premium, 100% Acrylic, Low Odor/VOC:

First Coat: BEHR PREMIUM PLUS® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PREMIUM PLUS® Interior Semi-Gloss Enamel Paint (3050)

Third Coat: BEHR PREMIUM PLUS® Interior Semi-Gloss Enamel Paint (3050)

High-Gloss – Premium, 100% Acrylic, Low Odor/VOC:

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel Paint (2-8050)

Third Coat: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel Paint (2-8050)

Flat – Professional, Latex, Low Odor/VOC:

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Eggshell – Professional, Latex, Low Odor/VOC:

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss – Professional, Latex, Low Odor/VOC:

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

8. CONCRETE, PLASTER AND MASONRY – High Performance Architectural Latex Finish

Flat – High Performance, 100% Acrylic, Low Odor/VOC:

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)

Third Coat: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)

Eggshell – High Performance, 100% Acrylic, Low Odor/VOC:

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Third Coat: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)

Semi-Gloss – High Performance, 100% Acrylic, Low Odor/VOC:

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

Third Coat: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

9. CONCRETE, PLASTER and MASONRY – High Performance Epoxy-Modified Latex Finish

Eggshell – High Performance Waterborne Epoxy, Low VOC Coating:

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss – High Performance Waterborne Epoxy, Low VOC Coating:

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

10. CONCRETE, Decks, Floors, Walkways, Porches and Patios

Low-Lustre – Premium, 100% Acrylic:

First Coat: BEHR PREMIUM® Concrete & Masonry Bonding Primer (880)

Second Coat: BEHR PREMIUM® Porch & Patio Floor Paint Low-Lustre (6050)

Third Coat: BEHR PREMIUM® Porch & Patio Floor Paint Low-Lustre (6050)

SECTION 09 90 00 PAINTING AND COATINGS

11. CONCRETE, Decks, Floors, Walkways, Porches and Patios
Gloss – Premium, 100% Acrylic:
First Coat: BEHR PREMIUM® Concrete & Masonry Bonding Primer (880)
Second Coat: BEHR PREMIUM® Porch & Patio Floor Paint Gloss (6705)
Third Coat: BEHR PREMIUM® Porch & Patio Floor Paint Gloss (6705)
12. CONCRETE MASONRY UNITS (CMU)
Flat – Premium, 100% Acrylic, Low Odor/VOC:
First Coat: BEHR PRO® Block Filler Primer (PR50)
Second Coat: BEHR PREMIUM PLUS® Interior Flat Paint (1050)
Third Coat: BEHR PREMIUM PLUS® Interior Flat Paint (1050)
Eggshell – Premium, 100% Acrylic, Low odor/VOC:
First Coat: BEHR PRO® Block Filler Primer (PR50)
Second Coat: BEHR PREMIUM PLUS® Interior Eggshell Enamel Paint (2050)
Third Coat: BEHR PREMIUM PLUS® Interior Eggshell Enamel Paint (2050)
Satin – Premium, 100% Acrylic, Low Odor/VOC:
First Coat: BEHR PRO® Block Filler Primer (PR50)
Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)
Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)
Semi-Gloss – Premium, 100% Acrylic, Low Odor/VOC:
First Coat: BEHR PRO® Block Filler Primer (PR50)
Second Coat: BEHR PREMIUM PLUS® Interior Semi-Gloss Enamel Paint (3050)
Third Coat: BEHR PREMIUM PLUS® Interior Semi-Gloss Enamel Paint (3050)
Flat – Professional, Latex, Low Odor/VOC
First Coat: BEHR PRO® Block Filler Primer (PR50)
Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)
Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)
Eggshell – Professional, Latex, Low Odor/VOC:
First Coat: BEHR PRO® Block Filler Primer (PR50)
Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)
Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)
Semi-Gloss – Professional, Latex, Low Odor/VOC:
First Coat: BEHR PRO® Block Filler Primer (PR50)
Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
13. CONCRETE MASONRY UNITS (CMU) – High Performance Architectural Latex Finish
Flat – High Performance, 100% Acrylic, Low Odor/VOC:
First Coat: BEHR PRO® Block Filler Primer (PR50)
Second Coat: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)
Third Coat: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)
Eggshell – High Performance, 100% Acrylic, Low Odor/VOC:
First Coat: BEHR PRO® Block Filler Primer (PR50)
Second Coat: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)
Third Coat: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)
Semi-Gloss – High Performance, 100% Acrylic, Low Odor/VOC:
First Coat: BEHR PRO® Block Filler Primer (PR50)
Second Coat: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)
Third Coat: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)

SECTION 09 90 00 PAINTING AND COATINGS

14. CONCRETE MASONRY UNITS (CMU) – High Performance Coating Epoxy-Modified Latex Finish
Eggshell – High Performance Waterborne Epoxy, Low VOC Coating:
First Coat: BEHR PRO® Block Filler Primer (PR50)
Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)
Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)
Semi-Gloss– High Performance Waterborne Epoxy, Low VOC Coating:
First Coat: BEHR PRO® Block Filler Primer (PR50)
Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
15. STEEL, FERROUS METAL
Flat – Premium, 100% Acrylic, Low Odor/VOC:
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PREMIUM PLUS® Interior Flat Paint (1050)
Third Coat: BEHR PREMIUM PLUS® Interior Flat Paint (1050)
Eggshell – Premium, 100% Acrylic, Low Odor/VOC:
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PREMIUM PLUS® Interior Eggshell Enamel Paint (2050)
Third Coat: BEHR PREMIUM PLUS® Interior Eggshell Enamel Paint (2050)
Satin – Premium, 100% Acrylic, Low Odor/VOC:
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)
Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)
Semi-Gloss – Premium, 100% Acrylic, Low Odor/VOC:
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PREMIUM PLUS® Interior Semi-Gloss Enamel Paint (3050)
Third Coat: BEHR PREMIUM PLUS® Interior Semi-Gloss Enamel Paint (3050)
High Gloss – Premium, 100% Acrylic, Low Odor/ VOC:
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel Paint (2-8050)
Third Coat: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel Paint (2-8050)
Flat – Professional, Latex, Low Odor/VOC:
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)
Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)
Eggshell – Professional, Latex, Low Odor/VOC:
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)
Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)
Semi-Gloss – Professional, Latex, Low Odor/VOC:
First Coat: BEHR® Interior/Exterior Metal Primer (435)
Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)
16. STEEL, FERROUS METAL – High Performance Coating Epoxy-Modified Latex Finish
Eggshell – High Performance Waterborne Epoxy, Low VOC Coating:
First Coat: BEHR® Interior/Exterior Metal Primer (435))
Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)
Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

SECTION 09 90 00 PAINTING AND COATINGS

Semi-Gloss– High Performance Waterborne Epoxy, Low VOC Coating:

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
- Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

17. STEEL, FERROUS METAL - Urethane Alkyd, Low VOC, Water-Reducible Enamel

Satin – Urethane Alkyd, Low VOC:

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR® Interior/Exterior Urethane Alkyd Satin Enamel (7900)
- Third Coat: BEHR® Interior/Exterior Urethane Alkyd Satin Enamel (7900)

Semi-Gloss – Urethane Alkyd, Low VOC:

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)
- Third Coat: BEHR® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)

18. STEEL, FERROUS METAL – Light Industrial Coating, Water-Based

Eggshell – Premium, Styrene Acrylic:

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)
- Third Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Semi-Gloss – Premium, Styrene Acrylic:

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)
- Third Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Gloss – Premium, Styrene Acrylic:

- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Gloss Paint (8200)
- Third Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Gloss Paint (8200)

19. GALVANIZED METAL

Flat – Premium, 100% Acrylic, Low Odor/VOC:

- Pretreatment: Klean Strip Phosphoric Prep & Etch (GKA30220)
- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR PREMIUM PLUS® Interior Flat Paint (1050)
- Third Coat: BEHR PREMIUM PLUS® Interior Flat Paint (1050)

Eggshell – Premium, 100% Acrylic, Low Odor/VOC:

- Pretreatment: Klean Strip Phosphoric Prep & Etch (GKA30220)
- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR PREMIUM PLUS® Interior Eggshell Enamel Paint (2050)
- Third Coat: BEHR PREMIUM PLUS® Interior Eggshell Enamel Paint (2050)

Satin – Premium, 100% Acrylic, Low Odor/VOC:

- Pretreatment: Klean Strip Phosphoric Prep & Etch (GKA30220)
- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)
- Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Semi-Gloss – Premium, 100% Acrylic, Low Odor/VOC:

- Pretreatment: Klean Strip Phosphoric Prep & Etch (GKA30220)
- First Coat: BEHR® Interior/Exterior Metal Primer (435)
- Second Coat: BEHR PREMIUM PLUS® Interior Semi-Gloss Enamel Paint (3050)
- Third Coat: BEHR PREMIUM PLUS® Interior Semi-Gloss Enamel Paint (3050)

SECTION 09 90 00 PAINTING AND COATINGS

High Gloss – Premium, 100% Acrylic, Low VOC:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKA30220)

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel Paint (2-8050)

Third Coat: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel Paint (2-8050)

Flat – Professional, Latex, Low Odor/VOC:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKA30220)

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Eggshell – Professional, Latex, Low Odor/VOC:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKA30220)

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss – Professional, Latex, Low Odor/VOC:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKA30220)

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

20. NON-FERROUS METAL – High Performance Coating Epoxy-Modified Latex Finish

Eggshell – High Performance Waterborne Epoxy, Low VOC Coating:

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)

Semi-Gloss– High Performance Waterborne Epoxy, Low VOC Coating:

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)

21. GALVANIZED METAL – Urethane Alkyd, Low VOC, Water-Reducible Enamel

Satin – Urethane Alkyd, Low VOC:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKA30220)

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR® Interior/Exterior Urethane Alkyd Satin Enamel (7900)

Third Coat: BEHR® Interior/Exterior Urethane Alkyd Satin Enamel (7900)

Semi-Gloss – Urethane Alkyd, Low VOC:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKA30220)

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)

Third Coat: BEHR® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)

22. GALVANIZED METAL – Light Industrial Coating, Water-Based

Eggshell –Light Industrial, Premium, 100% Acrylic:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKA30220)

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

Third Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Eggshell Paint (7200)

SECTION 09 90 00 PAINTING AND COATINGS

Semi-Gloss –Light Industrial, Premium, 100% Acrylic:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKA30220)

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Third Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Semi-Gloss Paint (3200)

Gloss –Light Industrial, Premium, 100% Acrylic:

Pretreatment: Klean Strip Phosphoric Prep & Etch (GKA30220)

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Gloss Paint (8200)

Third Coat: BEHR PREMIUM® Interior/Exterior Direct-To-Metal Gloss Paint (8200)

23. FERROUS and NON-FERROUS METALS – Dry Fall Coating (Spray applied)

Flat – Professional, Acrylic:

First Coat: BEHR® Interior/Exterior Metal Primer (435)

Second Coat: BEHR PRO® HPC Waterborne Dryfall Paint, White (HP210) Black (HP211)

Third Coat: BEHR PRO® HPC Waterborne Dryfall Paint, White (HP210) Black (HP211)

24. WOOD – Opaque Paint Finish

Flat – Premium, 100% Acrylic, Low Odor/VOC:

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PREMIUM PLUS® Interior Flat Paint (1050)

Third Coat: BEHR PREMIUM PLUS® Interior Flat Paint (1050)

Eggshell – Premium, 100% Acrylic, Low Odor/VOC:

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PREMIUM PLUS® Interior Eggshell Enamel Paint (2050)

Third Coat: BEHR PREMIUM PLUS® Interior Eggshell Enamel Paint (2050)

Satin – Premium, 100% Acrylic, Low Odor/VOC:

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Third Coat: BEHR PREMIUM PLUS® Interior Satin Enamel Paint (7050)

Semi-Gloss – Premium, 100% Acrylic, Low Odor/VOC:

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PREMIUM PLUS® Interior Semi-Gloss Enamel Paint (3050)

Third Coat: BEHR PREMIUM PLUS® Interior Semi-Gloss Enamel Paint (3050)

High Gloss – Premium, 100% Acrylic, Low VOC:

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel Paint (2-8050)

Third Coat: BEHR PREMIUM PLUS® Interior/Exterior Hi-Gloss Enamel Paint (2-8050)

Flat – Professional, Latex, Low Odor/VOC:

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Third Coat: BEHR PRO® i300 Interior Dead Flat Paint (PR310)

Eggshell – Professional, Latex, Low Odor/VOC:

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Third Coat: BEHR PRO® i300 Interior Eggshell Paint (PR330)

Semi-Gloss – Professional, Latex, Low Odor/VOC:

First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)

Second Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

Third Coat: BEHR PRO® i300 Interior Semi-Gloss Paint (PR370)

SECTION 09 90 00 PAINTING AND COATINGS

25. WOOD – High Performance Architectural Latex Finish
Flat – High Performance, Latex, Low Odor/VOC:
First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Second Coat: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)
Third Coat: BEHR ULTRA Scuff Defense® Interior Extra Durable Flat Paint (1720)
Eggshell – High Performance, Latex, Low Odor/VOC:
First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Second Coat: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)
Third Coat: BEHR ULTRA Scuff Defense® Interior Eggshell Enamel (2750)
Semi-Gloss – High Performance, Latex, Low Odor/VOC:
First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Second Coat: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)
Third Coat: BEHR ULTRA Scuff Defense® Interior Semi-Gloss Enamel (3750)
26. WOOD – High Performance Coating Epoxy-Modified Latex Finish
Eggshell – High Performance Waterborne Epoxy, Low VOC Coating:
First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)
Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Eggshell (HP140)
Semi-Gloss – High Performance Waterborne Epoxy, Low VOC Coating:
First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Second Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
Third Coat: BEHR PRO® Pre-Catalyzed Waterborne Epoxy Semi-Gloss (HP150)
27. WOOD – Paint Finish, Urethane Alkyd, Low VOC, Water-Reducible Enamel
Satin – Urethane Alkyd, Low/VOC:
First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Second Coat: BEHR® Interior/Exterior Urethane Alkyd Satin Enamel (7900)
Third Coat: BEHR® Interior/Exterior Urethane Alkyd Satin Enamel (7900)
Semi-Gloss – Urethane Alkyd, Low VOC:
First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Second Coat: BEHR® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)
Third Coat: BEHR® Interior/Exterior Urethane Alkyd Semi-Gloss Enamel (3900)
28. WOOD – Dry Fall Coating (Spray applied)
Flat – Professional, Acrylic:
First Coat: BEHR® Interior Stain-Blocking Primer & Sealer (75)
Second Coat: BEHR PRO® HPC Waterborne Dryfall Paint, White (HP210) Black (HP211)
Third Coat: BEHR PRO® HPC Waterborne Dryfall Paint, White (HP210) Black (HP211)
29. WOOD, Decks, Floors, Walkways, Porches and Patios
Low-Lustre – Premium, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PREMIUM® Porch & Patio Floor Paint Low-Lustre (6050)
Third Coat: BEHR PREMIUM® Porch & Patio Floor Paint Low-Lustre (6050)
30. WOOD, Decks, Floors, Walkways, Porches and Patios
Anti-Slip Paint, Textured, Low-Lustre – Premium, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PREMIUM® Anti-Slip Porch & Patio Floor Paint, Textured Low-Lustre (6250)
Third Coat: BEHR PREMIUM® Anti-Slip Porch & Patio Floor Paint, Textured Low-Lustre (6250)

SECTION 09 90 00 PAINTING AND COATINGS

31. WOOD, Decks, Floors, Porches and Patios
Gloss – Premium, 100% Acrylic:
First Coat: BEHR® Multi-Surface Interior/Exterior Primer & Sealer (436)
Second Coat: BEHR PREMIUM® Porch & Patio Floor Paint Gloss (6705)
Third Coat: BEHR PREMIUM® Porch & Patio Floor Paint Gloss (6705)
32. WOOD – Stained, Water-Based Polyurethane over Oil-Based Semi-Transparent Stain
Matte, Clear, Water-Based Polyurethane over Interior Stain
Sealer: Behr® Water-Based Pre-Stain Conditioner (B2080) *Only for use on softwoods.
Stain Coat: Behr® Advanced Formula Oil-Based Wood Stain (B3500)
Two Topcoats: Behr® Fast Dry Water-Based Polyurethane (B8106) Matte
- Satin, Clear, Water-Based Polyurethane over Interior Stain
Sealer: Behr® Water-Based Pre-Stain Conditioner (B2080) *Only for use on softwoods.
Stain Coat: Behr® Advanced Formula Oil-Based Wood Stain (B3500)
Two Topcoats: Behr® Fast Dry Water-Based Polyurethane (B8100) Satin
- Semi-Gloss, Clear, Water-Based Polyurethane over Interior Stain
Sealer: Behr® Water-Based Pre-Stain Conditioner (B2080) *Only for use on softwoods.
Stain Coat: Behr® Advanced Formula Oil-Based Wood Stain (B3500)
Two Topcoats: Behr® Fast Dry Water-Based Polyurethane (B8102) Semi-Gloss
- Gloss, Clear, Water-Based Polyurethane over Interior Stain
Sealer: Behr® Water-Based Pre-Stain Conditioner (B2080) *Only for use on softwoods.
Stain Coat: Behr® Advanced Formula Oil-Based Wood Stain (B3500)
Two Topcoats: Behr® Fast Dry Water-Based Polyurethane (B8104) Gloss
33. WOOD – Stained, Water-Based Polyurethane over Water-Based Semi-Transparent Stain
Matte, Clear, Water-Based Polyurethane over Interior Stain
Sealer: Behr® Water-Based Pre-Stain Conditioner (B2080) *Only for use on softwoods.
Stain Coat: Behr® Fast Drying Water-Based Wood Stain (B4500)
Two Topcoats: Behr® Fast Dry Water-Based Polyurethane (B8106) Matte
- Satin, Clear, Water-Based Polyurethane over Interior Stain
Sealer: Behr® Water-Based Pre-Stain Conditioner (B2080) *Only for use on softwoods.
Stain Coat: Behr® Fast Drying Water-Based Wood Stain (B4500)
Two Topcoats: Behr® Fast Dry Water-Based Polyurethane (B8100) Satin
- Semi-Gloss, Clear, Water-Based Polyurethane over Interior Stain
Sealer: Behr® Water-Based Pre-Stain Conditioner (B2080) *Only for use on softwoods.
Stain Coat: Behr® Fast Drying Water-Based Wood Stain (B4500)
Two Topcoats: Behr® Fast Dry Water-Based Polyurethane (B8102) Semi-Gloss
- Gloss, Clear, Water-Based Polyurethane over Interior Stain
Sealer: Behr® Water-Based Pre-Stain Conditioner (B2080) *Only for use on softwoods.
Stain Coat: Behr® Fast Drying Water-Based Wood Stain (B4500)
Two Topcoats: Behr® Fast Dry Water-Based Polyurethane (B8104) Gloss
34. WOOD – Natural, Clear Water-Based Polyurethane
Matte, Clear, Water-Based Polyurethane
Sealer Coat: Behr® Fast Dry Water-Based Polyurethane (B8106) Matte
Two Topcoats: Behr® Fast Dry Water-Based Polyurethane (B8106) Matte
- Satin, Clear, Water-Based Polyurethane
Sealer Coat: Behr® Fast Dry Water-Based Polyurethane (B8100) Satin
Two Topcoats: Behr® Fast Dry Water-Based Polyurethane (B8100) Satin
- Semi-Gloss, Clear, Water-Based Polyurethane
Sealer Coat: Behr® Fast Dry Water-Based Polyurethane (B8102) Semi-Gloss
Two Topcoats: Behr® Fast Dry Water-Based Polyurethane (B8102) Semi-Gloss

SECTION 09 90 00 PAINTING AND COATINGS

Gloss, Clear, Water-Based Polyurethane

Sealer Coat: Behr® Fast Dry Water-Based Polyurethane (B8104) Gloss

Two Topcoats: Behr® Fast Dry Water-Based Polyurethane (B8104) Gloss

END OF SECTION 09 90 00