

Declare.

KILZ 2® ALL-PURPOSE Interior/Exterior Primer (2000) Behr Paint Company

Final Assembly: Multiple Locations in the USA

Life Expectancy: 10 Year(s)

Embodied Carbon: 8.81E-01kg CO2eq ■

Declared Unit: 1 Square Meter

End of Life Options: Take Back Program (PaintCare), Recyclable (100%)

Ingredients:

Water; Calcium Carbonate; 2-Propenoic acid, 2-methyl-, methyl ester, polymer with butyl 2-propenoate, ethenylbenzene, 2-hydroxyethyl 2-propenoate and 2-propenoic acid; Titanium dioxide; Kaolin, calcined; Talc; Ethanol, 2-butoxy-, benzoate; Styrene methyl methacrylate copolymer; Carbonic acid, magnesium salt (1:1); Polyurethane Resins; attapulgit; Quartz; Distillates (petroleum), solvent-dewaxed heavy paraffinic; Aluminum Oxide; Alcohols, C9-11-branched and linear, butoxylated ethoxylated; Poly(oxy-1,2-ethanediyl), .alpha.-tridecyl-.omega.-hydroxy-, phosphate, ammonium salt; Nepheline syenite; OS 2020; ACUSOL 820; Soda Ash; 2-Propenoic acid, butyl ester, polymer with ethenyl acetate; Ammonium Hydroxide, NOS; Nitrous acid, sodium salt; Silica gel, pptd., cryst.-free; Clay; Siloxanes and Silicones, di-Me, reaction products with silica; 1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-; 1H,3H,5H-Oxazolo[3,4-c]oxazole-7a(7H)-methanol; Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester; Silica, Amorphous; Calcium magnesium carbonate; Chlorite-group minerals; **1,2-Benzisothiazol-3(2H)-one**; Carbamic acid, butyl-, 3-iodo-2-propynyl ester; Magnesium oxide (MgO); Methanol, (1H,3H,5H-oxazolo[3,4-c]oxazol-7a(7H)-ylmethoxy)-; Sulfuric acid, mono(2-ethylhexyl) ester, sodium salt

Living Building Challenge Criteria: Compliant

I-13 Red List:

- LBC Red List Free % Disclosed: 100% at 100ppm
- LBC Red List Approved VOC Content: <50 g/L
- Declared

I-10 Interior Performance: CDPH Standard Method v1.2-2017

I-14 Responsible Sourcing: Not Applicable

BHR-0017
EXP. 01 MAY 2026
Original Issue Date: 2025