



BEHR PREMIUM PLUS® Interior Semi-Gloss Enamel (3050) Behr Paint Company

Final Assembly: Multiple Locations in USA

Life Expectancy: 15 Year(s)

Embodied Carbon: 0.27 kg CO₂eq 

Declared Unit: 1 Square Meter

End of Life Options: Take Back Program (PaintCare), Recyclable (100%)

Ingredients:

Water; Titanium dioxide; 2-Propenoic acid, 2-methyl-, methyl ester, polymer with butyl 2-propenoate; Styrene methyl methacrylate copolymer; Hexanoic acid, 2-ethyl-, 1,2-ethanediybis(oxy-2,1-ethanediy) ester; Kaolin, calcined; Aluminum hydroxide; Amorphous silica; Polyurethane Resins; attapulгите; Poly[oxy(methyl-1,2-ethanediy)], α -hydro- ω -hydroxy-; 2-Propenoic acid, homopolymer, ammonium salt; Lubricating oils (petroleum), hydrotreated spent; Alcohols, C12-14-secondary, ethoxylated; 1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-; polysiloxane; Sodium Hydroxide; Clay; Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester; Sulfuric acid, mono(2-ethylhexyl) ester, sodium salt; 1,2-Benzisothiazol-3(2H)-one; Poly(oxy-1,2-ethanediy), α -hydro- ω -hydroxy-; 3(2H)-Isothiazolone, 2-methyl-; Carbamic acid, butyl-, 3-iodo-2-propynyl ester; Quartz; Siloxanes and Silicones, di-Me, reaction products with silica; Magnesium oxide (MgO)

Living Building Challenge Criteria: Compliant

I-13 Red List:

- LBC Red List Free % Disclosed: 100% at 100ppm
- LBC Red List Approved VOC Content: <5 g/L
- Declared

I-10 Interior Performance: CDPH Standard Method v1.2-2017

I-14 Responsible Sourcing: Not Applicable

BHR-0014

EXP. 01 MAY 2026

Original Issue Date: 2025