

# Declare.

## BEHR PRO® e600 Exterior Flat Paint (PR610)

### Behr Paint Company

**Final Assembly:** Multiple Locations in the USA

**Life Expectancy:** 20 Year(s)

**Embodied Carbon:** 0.596 kg CO<sub>2</sub>eq 

**Declared Unit:** 1 Square Meter

**End of Life Options:** Take Back Program (PaintCare), Recyclable (100%)

#### Ingredients:

Water; Nepheline syenite; Titanium dioxide; 2-Propenoic acid, 2-methyl-, methyl ester, polymer with butyl 2-propenoate; Mica-group minerals; Styrene methyl methacrylate copolymer; Propanoic acid, 2-methyl-, monoester with 2,2,4-trimethyl-1,3-pentanediol; Aluminum Oxide; Cellulose, 2-hydroxyethyl ether; Hexanoic acid, 2-ethyl-, 1,2-ethanediylbis(oxy-2,1-ethanediyl) ester; 2-Propenoic acid, homopolymer, ammonium salt; Alcohols, C9-11-branched and linear, butoxylated ethoxylated; Ammonium Hydroxide, NOS; Diopside (CaMg(SiO<sub>3</sub>)<sub>2</sub>); Feldspar; attapulgite; Zinc(2++), tetraamine-, (T-4)-, carbonate (1:1); **Distillates (petroleum), solvent-dewaxed heavy paraffinic;** **Lubricating oils (petroleum), C15-30, hydrotreated neutral oil-based;** Zirconate(2-), bis[carbonato(2-)-O]dihydroxy-, diammonium, (T-4)-; Amorphous silica; 1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-; Diuron; Zirconium oxide (ZrO<sub>2</sub>); **Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester; 1,2-Benzisothiazol-3(2H)-one;** polysiloxane; Siloxanes and Silicones, di-Me, 3-hydroxypropyl Me, ethoxylated propoxylated; **3(2H)-Isothiazolone, 2-methyl-;** Carbamic acid, butyl-, 3-iodo-2-propynyl ester; Propanoic acid, 2-methyl-, 2,2-dimethyl-1-(1-methylethyl)-1,3-propanediyl ester; Siloxanes and Silicones, di-Me, reaction products with silica

**Living Building Challenge Criteria:** Compliant

#### I-13 Red List:

- LBC Red List Free % Disclosed: 100% at 100ppm
- LBC Red List Approved VOC Content: <50 g/L
- Declared

**I-10 Interior Performance:** Not Applicable

**I-14 Responsible Sourcing:** Not Applicable

BHR-0033  
EXP. 01 NOV 2026  
Original Issue Date: 2025