



BEHR ULTRA® Exterior Semi-Gloss Enamel (5850) Behr Paint Company

Final Assembly: Multiple Locations in USA

Life Expectancy: 20 Year(s)

Embodied Carbon: 0.834kg CO2eq ■

Declared Unit: 1 Square Meter

End of Life Options: Take Back Program (PaintCare), Recyclable (100%)

Ingredients:

Water; Titanium dioxide; 2-Propenoic acid, 2-methyl-, methyl ester, polymer with butyl 2-propenoate; Styrene methyl methacrylate copolymer; Ethanol, 2-butoxy-, benzoate; Polyurethane Resins; Aluminum Oxide; 2-Propenoic acid, homopolymer, ammonium salt; Zinc oxide; polysiloxane; Hexanoic acid, 2-ethyl-, 1,2-ethanedylbis(oxy-2,1-ethanedyl) ester; attapulgit; Zirconate(2-), bis[carbonato(2-)-O]dihydroxy-, diammonium, (T-4)-; Phosphoric acid, monoethyl ester, potassium salt (1:2); Amorphous silica; 1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-; **Benzophenone**; Ammonium Hydroxide, NOS; Diuron; Zirconium oxide (ZrO2); Siloxanes and Silicones, di-Me, 3-hydroxypropyl Me, ethoxylated propoxylated; **Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester**; Clay; 1-Propanol, 2-amino-2-methyl-; Carbamic acid, butyl-, 3-iodo-2-propynyl ester; STARCH, FOOD, MODIFIED: STARCH SODIUM SUCCINATE; **3(2H)-Isothiazolone, 2-methyl-**; Ammonia; Quartz

Living Building Challenge Criteria: Compliant

I-13 Red List:

- LBC Red List Free % Disclosed: 100% at 100ppm
- LBC Red List Approved VOC Content: <50 g/L
- Declared

I-10 Interior Performance: Not Applicable

I-14 Responsible Sourcing: Not Applicable

BHR-0027
EXP. 01 JUL 2026
Original Issue Date: 2025