



BEHR ULTRA® Interior Flat (1720) Behr Paint Company

Final Assembly: Multiple Locations in USA

Life Expectancy: 15 Year(s)

Embodied Carbon: 1.24 kg CO₂eq ▲

Declared Unit: 1 Square Meter

End of Life Options: Take Back Program (PaintCare), Recyclable (100%)

Ingredients:

Water; Titanium dioxide; 2-Propenoic acid, 2-methyl-, methyl ester, polymer with butyl 2-propenoate; Silica gel, pptd., cryst.-free; Ceramic materials and wares, chemicals; Ethanol, 2-butoxy-, benzoate; Styrene methyl methacrylate copolymer; Aluminum Oxide; Lubricating oils (petroleum), hydrotreated spent; Poly(oxy-1,2-ethanediyl), α -sulfo- ω -hydroxy-, C12-14-alkyl ethers, sodium salts; Polyurethane Resins; 1-Propanol, 2-amino-2-methyl-; Hexanoic acid, 2-ethyl-, 1,2-ethanediylbis(oxy-2,1-ethanediyl) ester; Diphosphoric acid, tetrasodium salt; Poly(oxy-1,2-ethanediyl), α -tridecyl- ω -hydroxy-, phosphate, sodium salt; attapulgit; 2-Propenoic acid, homopolymer, potassium salt; Amorphous silica; 1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-; Zirconium oxide (ZrO₂); Ammonium Hydroxide, NOS; Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester; Clay; Siloxanes and Silicones, di-Me, reaction products with silica; 1,2-Benzisothiazol-3(2H)-one; Alcohols, C11-14-iso-, C13-rich, ethoxylated; Carbamic acid, butyl-, 3-iodo-2-propynyl ester; Polyphosphoric acids, sodium salts; Zinc oxide; 3(2H)-Isothiazolone, 2-methyl-

Living Building Challenge Criteria: Compliant

I-13 Red List:

- | | |
|---|-----------------------------|
| <input checked="" type="checkbox"/> LBC Red List Free | % Disclosed: 100% at 100ppm |
| <input type="checkbox"/> LBC Red List Approved | VOC Content: <50 g/L |
| <input type="checkbox"/> Declared | |

I-10 Interior Performance: CDPH Standard Method v1.2-2017

I-14 Responsible Sourcing: Not Applicable

BHR-0024

EXP. 01 JUN 2026

Original Issue Date: 2025