

Declare.

BEHR ULTRA® Interior Satin Enamel (7750)

Behr Paint Company

Final Assembly: Multiple Locations in the USA

Life Expectancy: 15 Year(s)

Embodied Carbon: 1.12 kg CO₂eq ▲

Declared Unit: 1 Square Meter

End of Life Options: Take Back Program (PaintCare), Recyclable (100%)

Ingredients:

Water; 2-Propenoic acid, 2-methyl-, methyl ester, polymer with butyl 2-propenoate; Titanium dioxide; Nepheline syenite; Ethanol, 2-butoxy-, benzoate; Aluminum Oxide; Styrene methyl methacrylate copolymer; Polyurethane Resins; Alcohols, C9-11-branched and linear, butoxylated ethoxylated; Lubricating oils (petroleum), hydrotreated spent; attapulgit; Sulfuric acid monododecyl ester sodium salt; 2-Propenoic acid, 2-methyl-, 3-[1,1-bis[[dimethyl[2-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]disiloxanyl]ethyl]silyl]oxy]-3,3-dimethyl-3-[2-[3,3,3-trimethyl-1,1-bis[(trimethylsilyl)oxy]-1-disiloxanyl]ethyl]-1-disiloxanyl]propyl ester, polymer with butyl 2-propenoate and methyl 2-methyl-2-propenoate; 2-Propenoic acid, homopolymer, ammonium salt; 1-Propanol, 2-amino-2-methyl-; Amorphous silica; Hexanoic acid, 2-ethyl-, 1,2-ethanediylbis(oxy-2,1-ethanediyl) ester; 1,3-Propanediol, 2-ethyl-2-(hydroxymethyl)-; Zirconium oxide (ZrO₂); Clay; **Distillates (petroleum), solvent-dewaxed heavy paraffinic; Carbamic acid, 1H-benzimidazol-2-yl-, methyl ester;** Diphosphoric acid, tetrasodium salt; polysiloxane; Siloxanes and Silicones, di-Me, reaction products with silica; **1,2-Benzisothiazol-3(2H)-one;** Sulfuric acid, mono(2-ethylhexyl) ester, sodium salt; Carbamic acid, butyl-, 3-iodo-2-propynyl ester; Quartz; 2-methyl-2-(methylamino)-1-propanol; **3(2H)-Isothiazolone, 2-methyl-;** Magnesium oxide (MgO)

Living Building Challenge Criteria: Compliant

I-13 Red List:

- LBC Red List Free % Disclosed: 100% at 100ppm
- LBC Red List Approved VOC Content: <50 g/L
- Declared

I-10 Interior Performance: CDPH Standard Method v1.2-2017

I-14 Responsible Sourcing: Not Applicable

BHR-0025

EXP. 01 JUN 2026

Original Issue Date: 2025