BEHR PRO® Waterborne Acrylic Dryfall Flat No. HP210 White by Behr Paint Company

Health Product Declaration v2.3

Yes ○ No

Yes ○ No

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 3673441154048 CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: BEHR PRO HPC Waterborne Acrylic Dryfall is a high hide acrylic coating with flash rust resistance that settles into a sweepable dust within 15 feet from ceiling surfaces. Perfect for tilt-up concrete walls, warehouses, sports venues, and other commercial spaces.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 100 ppm

⊙ 1,000 ppm

Other

C Per GHS SDS

Completed C Partially Completed

Residuals/Impurities Evaluation

Not Completed

Explanation(s) provided:

Yes ○ No

Characterized

Provided weight and role.

Screened

Provided screening results using HPDC-approved

methods.

Identified ⊙ Yes ○ No

For all contents above the threshold, the manufacturer has:

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY

GREENSCREEN SCORE | HAZARD TYPE

BEHR PRO® WATERBORNE ACRYLIC DRYFALL FLAT NO. HP210

WHITE [WATER BM-4 KAOLIN, CALCINED LT-UNK LIMESTONE BM-3dg TITANIUM DIOXIDE LT-1* | CAN | END | MAM DIATOMACEOUS **EARTH [WHICH CONTAINS LESS THAN 0.1% OF CRYSTALLINE** SILICA] LT-P1 | CAN | MAM BUTYL ACRYLATE-METHYL METHACRYLATE COPOLYMER LT-UNK VINYL ACRYLATE NoGS **BENTONITE LT-UNK 2-ETHYLHEXYL BENZOATE LT-UNK**

POLYCARBOXYLATE POLYMER NoGS SODIUM NITRITE LT-P1 | END | MUL | AQU | MAM | EYE | GEN | REP | PHY HYDROXYETHYL

CELLULOSE LT-P1 | END]

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Regulatory (g/l): 30 Material (g/l): 9

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the

base paint when tinted: Yes

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listinas.

VOC emissions: UL/GreenGuard Gold Certified

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

Formaldehyde emissions: UL Environmental Claim Validation -Formaldehyde Free

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

C Yes O No

PREPARER: Self-Prepared

VERIFIER: **VERIFICATION #:** **SCREENING DATE: 2023-05-02 PUBLISHED DATE: 2023-08-02** EXPIRY DATE: 2026-05-02



This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

BEHR PRO® WATERBORNE ACRYLIC DRYFALL FLAT NO. HP210 WHITE

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the finished good in a concentration at or above the Content Inventory Threshold that return a GreenScreen scores of BM-1, LT-1, LT-P1 or NoGS.

OTHER PRODUCT NOTES: None

HAZARD DATA SOURCE: Ph	naros Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-05-04 8:23:51
⁄₀: 45.0000 - 55.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROLE: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warn	ings found on HPD Priority Hazard L
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
EXEMPT	European Union / European Con (EU EC)	nmission	EU - REACH Exe	mptions
	,		Exempted from F safety	REACH Annex IV listing due to intrins

KAOLIN, CALCINED				ID: 92704-41
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-05-04 8:24:55
%: 25.0000 - 35.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No war	nings found on HPD Priority Hazard List
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard List
SUBSTANCE NOTES:				

LIMESTONE ID: 1317-65-3

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-05-03 16:05:13

%: 5.0000 - 10.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warnin	gs found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No lis	tings found on Additional Hazard Lists
SUBSTANCE NOTES:				

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCREE	NING DATE:	2023-05-03 16:05:43
%: 5.0000 - 10.0000	GreenScreen: LT-1	RC: None	NANO: No	SUBSTANCE ROLE: Pigment
HAZARD TYPE	LIST NAME AND SOURCE	WA	RNINGS	
CAN	US CDC - Occupational Carcino	gens Occ	cupational Ca	rcinogen**
CAN	CA EPA - Prop 65	Car	-	ecific to chemical form or exposure
CAN	IARC		oup 2B - Possi m occupationa	ibly carcinogenic to humans - inhaled al sources**
CAN	MAK		_	up 3A - Evidence of carcinogenic effect to establish MAK/BAT value**
END	TEDX - Potential Endocrine Disr	uptors Pot	ential Endocri	ine Disruptor**
CAN	MAK		_	ip 4 - Non-genotoxic carcinogen with AK/BAT levels**
CAN	EU - GHS (H-Statements) Annex		51 - Suspected tegory 2]**	d of causing cancer [Carcinogenicity -
CAN	GHS - Japan		51 - Suspected tegory 2]**	d of causing cancer [Carcinogenicity -
MAM	GHS - Japan	repe	eated exposu	amage to organs through prolonged on the [Specific target organs/systemic repeated exposure - Category 1]**
CAN	EU - Annex VI CMRs		rcinogen Cate rcinogen**	gory 2 - Suspected human
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NO ⁻	TIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)			Product Standard Restricted (RSL) - Effective July 1, 2022
		For	mulated Cons	sumer Products
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)			Product Standard Restricted (RSL) - Effective July 1, 2022
		Cos	smetics & Per	sonal Care Products
POSITIVE LIST	US Environmental Protection Ag	ency (US US	EPA - DfE Sat	fer Chemicals Ingredients list (SCIL)
	EPA)	Cal	lawamta Ovas	n Circle (Verified Low Concern)

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

DIATOMACEOUS EARTH [WHICH CONTAINS LESS THAN 0.1% OF CRYSTALLINE SILICA]

ID: 61790-53-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-05-04 8:22:41
%: 1.0000 - 5.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Absorbent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	GHS - Japan		H350 - May caus 1A-1B]	e cancer [Carcinogenicity - Category
MAM	GHS - Japan		repeated exposu	amage to organs through prolonged or re [Specific target organs/systemic repeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classe	es of Problematic Chemicals
			Antimicrobials	
SUBSTANCE NOTES:				

BUTYL ACRYLATE-METHYL METHACRYLATE COPOLYMER

ID: 25852-37-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-05-30 13:28:30
%: 0.5000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warı	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The assigned CAS number best represents the chemical family and associated hazards.

VINYL ACRYLATE				ID: 2177-1	8-6
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SCI	REENING DATE: 2	2023-07-11 7:02:00	
%: 1.0000 - 5.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Binder	
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warnin	ngs found on HPD Priority Hazard Lis	sts

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Some Solvents

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The assigned CAS number best represents the chemical family and associated hazards.

BENTONITE					ID: 1302-78-9
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-05-03 16:04:44	
%: 0.1000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: F	Plasticizer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD Priorit	y Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
None found			No	listings found on Additiona	al Hazard Lists
SUBSTANCE NOTES:					

2-ETHYLHEXYL BENZOA	ATE			ID: 5444-75-
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-05-04 8:21:51
%: 0.1000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coalescent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (0	GSPI)	GSPI - Six Class	ses of Problematic Chemicals
			Some Solvents	

YMER				ID: 676596-80-8
Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-05-04 8:23:02	
GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE:	Dispersant
LIST NAME AND SOURCE		WARNINGS		
		No warr	nings found on HPD Prior	ity Hazard Lists
LIST NAME AND SOURCE		NOTIFICATION		
		No	listings found on Addition	nal Hazard Lists
	Pharos Chemical and Materials Library GreenScreen: NoGS LIST NAME AND SOURCE	Pharos Chemical and Materials Library HAZARD SO GreenScreen: NoGS RC: None LIST NAME AND SOURCE	Pharos Chemical and Materials Library HAZARD SCREENING DATE: GreenScreen: NoGS RC: None NANO: No LIST NAME AND SOURCE WARNINGS No ward LIST NAME AND SOURCE NOTIFICATION	Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-05-04 8:23:02 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: LIST NAME AND SOURCE WARNINGS No warnings found on HPD Prior

SUBSTANCE NOTES:

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The assigned CAS number best represents the chemical family and associated hazards.

SODIUM NITRITE

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-05-04 8:23:22

%: 0.1000 - 1.0000 GreenScreen: LT-P1 RC: None NANO: No SUBSTANCE ROLE: Antimicrobial Pesticide

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
END	TEDX - Potential Endocrine Disruptors	Potential Endocrine Disruptor
MUL	German FEA - Substances Hazardous to Waters	Class 3 - Severe Hazard to Waters
AQU	EU - GHS (H-Statements) Annex 6 Table 3-1	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	EU - GHS (H-Statements) Annex 6 Table 3-1	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
EYE	GHS - New Zealand	Eye irritation category 2
EYE	GHS - Australia	H319 - Causes serious eye irritation [Serious eye damage/eye irritation - Category 2A]
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]
MAM	GHS - Japan	H370 - Causes damage to organs [Specific target organs/systemic toxicity following single exposure - Category 1]
AQU	GHS - New Zealand	Hazardous to the aquatic environment - acute category 1
AQU	GHS - New Zealand	Hazardous to the aquatic environment - chronic category 2
AQU	GHS - Japan	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
AQU	GHS - Japan	H410 - Very toxic to aquatic life with long lasting effects [Hazardous to the aquatic environment (chronic) - Category 1]
AQU	GHS - Korea	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
REP	GHS - Japan	H361 - Suspected of damaging fertility or the unborn child [Toxic to reproduction - Category 2]
MAM	GHS - Korea	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
GEN	GHS - New Zealand	Germ cell mutagenicity category 2
MAM	GHS - Australia	H301 - Toxic if swallowed [Acute toxicity (oral) - Category 3]
MAM	GHS - New Zealand	Acute oral toxicity category 3
EYE	GHS - Japan	H319 - Causes serious eye irritation [Serious eye damage / eye irritation - Category 2A]
AQU	GHS - Australia	H400 - Very toxic to aquatic life [Hazardous to the aquatic environment (acute) - Category 1]
MAM	GHS - Japan	H301 - Toxic if swallowed [Acute Toxicity (oral) - Category 3]
PHY	GHS - Korea	H272 - May intensify fire; oxidizer [Oxidizing solids - Category 2]

ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists
SUBSTANCE NOTES:		

HYDROXYETHYL CELLU	LOSE			ID: 9004-62-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-05-04 8:24:18
%: 0.1000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential Endoc	rine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

EXPIRY DATE:

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

ISSUE DATE: 2015-10-25

CERTIFIER OR LAB: UL

CERTIFICATE URL: https://spot.ul.com/mainapp/products/detail/5ad1ebda55b0e82d946a7404?

page_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES: Reporting Body: UL Document #: 70872-420

VOC CONTENT

SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All CERTIFICATE URL: https://spot.ul.com/mainapp/products/detail/5ad1ebda55b0e82d946a7404?

page_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2015-10-25

ISSUE DATE: 2015-10-25

EXPIRY DATE:

EXPIRY DATE:

CERTIFIER OR LAB: Behr

FORMALDEHYDE EMISSIONS

UL Environmental Claim Validation - Formaldehyde Free

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

CERTIFICATE URL: https://spot.ul.com/mainapp/products/detail/5ad1ebda55b0e82d946a7404?

page_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES: Reporting Body: UL Document #: 70872-4370

CERTIFIER OR LAB: UL

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

COLORANT

MANUFACTURER (OR GENERIC): Behr Process Corporation

HPD URL: No HPD Available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Behr uses colorants that contain low VOC content (compliant with SCAQMD Rule 1113) and formaldehyde free. Colorants added to this base paint do not significantly increase VOC levels even if used at maximum tint load in any color.

Section 5: General Notes

The chemical assessments contained in this Health Product Declaration form has been generated by the Health Product Declaration tool(s) and may differ from the information contained in Behr's Safety Data Sheet ("SDS") for this product. Prior to using this product, users should review Behr's SDS and follow all instructions on the SDS and product label provided by Behr.

MANUFACTURER INFORMATION

MANUFACTURER: Behr Paint Company ADDRESS: 1801 E Saint Andrew Place Santa Ana California 92705, United States

WEBSITE: www.behr.com

CONTACT NAME: Anna Wang TITLE: Environmental Specialist PHONE: 1(714) 545-7101 EMAIL: anwang@behr.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content

PostC Post-consumer recycled content

UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product

Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.

BEHR PRO® Waterborne Acrylic Dryfall Flat No. HP211 by Behr Paint Company

Health Product Declaration v2.3

created via: HPDC Online Builder

HPD UNIQUE IDENTIFIER: 3436348573696 CLASSIFICATION: 09 90 00 Painting and Coating

PRODUCT DESCRIPTION: BEHR PRO HPC Waterborne Acrylic Dryfall is a high hide acrylic coating with flash rust resistance that settles into a sweepable dust within 15 feet from ceiling surfaces. Perfect for tilt-up concrete walls, warehouses, sports venues, and other commercial spaces.



Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Inventory Reporting Format

C Nested Materials Method

Basic Method

Threshold Disclosed Per

Material

Product

Threshold Level

C 100 ppm ⊙ 1,000 ppm

C Per GHS SDS

Other

Residuals/Impurities Evaluation

Completed

C Partially Completed

Not Completed

Explanation(s) provided:

Yes ○ No

For all contents above the threshold, the manufacturer has:

Characterized

Yes ○ No

Provided weight and role.

Screened

Yes ○ No

Provided screening results using HPDC-approved

methods.

Identified ⊙ Yes ○ No

Provided name and CAS RN or other identifier.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

PRODUCT | MATERIAL OR SUBSTANCE | RESIDUAL OR IMPURITY GREENSCREEN SCORE | HAZARD TYPE

BEHR PRO® WATERBORNE ACRYLIC DRYFALL FLAT NO. HP211 [WATER BM-4 LIMESTONE BM-3dg MICA LT-UNK | MAM DIATOMACEOUS EARTH [WHICH CONTAINS LESS THAN 0.1% OF CRYSTALLINE SILICA] LT-P1 | CAN | MAM CARBON BLACK BM-1* | CAN | EYE | MAM BUTYL ACRYLATE-METHYL METHACRYLATE COPOLYMER LT-UNK VINYL ACRYLATE NoGS 2-ETHYLHEXYL BENZOATE LT-UNK HYDROXYETHYL CELLULOSE LT-P1 | END **DIOPSIDE Nogs SOLVENT-DEWAXED HEAVY PARAFFINIC** PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346 LT-P1 | MUL | CAN | SKI | DEV

Number of Greenscreen BM-4/BM3 contents ... 2

Contents highest-concern GreenScreen score(s) (BM-1, LT-1, LT-P1) ...

LT-P1

Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

None

*Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. For this reason, this score is intentionally omitted from the "Contents highest concern" line above. See HPDC's Special Conditions policy for more information.

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

Material (g/l): 9 Regulatory (g/l): 31

Does the product contain exempt VOCs: No

Are colorants available that do not increase the VOC content of the base paint when tinted: Yes

FELDSPAR LT-UNK | MAM QUARTZ BM-1* | CAN | MAM | GEN]

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional

listinas.

VOC emissions: UL/GreenGuard Gold Certified

VOC content: SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007

amendments

Formaldehyde emissions: UL Environmental Claim Validation -

Formaldehyde Free

Multi-attribute: MPI Extreme Green (X-Green)

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4.1 Option 1.

Third Party Verified?

O Yes No

VERIFIER: **VERIFICATION #:**

PREPARER: Self-Prepared

SCREENING DATE: 2023-05-04 PUBLISHED DATE: 2023-08-02

EXPIRY DATE: 2026-05-04

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- · Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.3, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-3-standard

BEHR PRO® WATERBORNE ACRYLIC DRYFALL FLAT NO. HP211

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES EVALUATION COMPLETED: Yes

RESIDUALS AND IMPURITIES NOTES: No residuals or impurities are expected to be present in the finished good in a concentration at or above the Content Inventory Threshold that return a GreenScreen scores of BM-1, LT-1, LT-P1 or NoGS.

OTHER PRODUCT NOTES: None

WATER					ID: 7732-18
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-05-04 9:48:21	
%: 45.0000 - 55.0000	GreenScreen: BM-4	RC: None	NANO: No	SUBSTANCE ROL	E: Solvent
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD Price	ority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
EXEMPT	European Union / European Cor (EU EC)	nmission	EU - REACH Exe	emptions	
	, ,		Exempted from safety	REACH Annex IV listing	due to intrinsic
SUBSTANCE NOTES:					

LIMESTONE				ID: 1317-65-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-05-04 9:48:22
%: 25.0000 - 35.0000	GreenScreen: BM-3dg	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warı	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

MICA ID: 12001-26-2

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-05-04 9:53:09

%: 5.0000 - 10.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
МАМ	GHS - Japan		H372 - Causes damage to organs through prolong repeated exposure [Specific target organs/system toxicity following repeated exposure - Category 1	
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No lis	tings found on Additional Hazard Lists
SUBSTANCE NOTES:				

DIATOMACEOUS EARTH [WHICH CONTAINS LESS THAN 0.1% OF CRYSTALLINE SILICA]

ID: 61790-53-2

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE: 2	023-05-04 9:48:23
%: 1.0000 - 5.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Filler
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
CAN	GHS - Japan		H350 - May cause 1A-1B]	cancer [Carcinogenicity - Category
MAM	GHS - Japan		repeated exposure	mage to organs through prolonged or ESpecific target organs/systemic epeated exposure - Category 1]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes	of Problematic Chemicals
			Antimicrobials	
SUBSTANCE NOTES:				

CARBON BLACK ID: 1333-86-4

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-05-04 9:53:43

%: 1.0000 - 5.0000 GreenScreen: BM-1 RC: None NANO: No SUBSTANCE ROLE: Pigment

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	MAK	Carcinogen Group 3B - Evidence of carcinogenic effects but not sufficient for classification**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	IARC	Group 2B - Possibly carcinogenic to humans - inhaled from occupational sources**
EYE	GHS - New Zealand	Eye irritation category 2**
CAN	GHS - New Zealand	Carcinogenicity category 2**
CAN	GHS - Japan	H351 - Suspected of causing cancer [Carcinogenicity - Category 2]**
МАМ	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

BUTYL ACRYLATE-METHYL METHACRYLATE COPOLYMER

ID: 25852-37-3

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE:	2023-05-30 13:27:53
%: 0.1000 - 5.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Binder
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The assigned CAS number best represents the chemical family and associated hazards.

VINYL ACRYLATE	ID: 2177-18-6

%: 1.0000 - 5.0000 GreenScreen: NoGS RC: None NANO: No SUBSTANCE ROLE: Binder

HAZARD DATA SOURCE: Pharos Chemical and Materials Library HAZARD SCREENING DATE: 2023-07-06 15:37:13

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
RESTRICTED LIST	Green Science Policy Institute (GSPI)	GSPI - Six Classes of Problematic Chemicals
		Some Solvents

SUBSTANCE NOTES: Identification of this ingredient is not being disclosed due to suppliers holding chemical composition as proprietary. The assigned CAS number best represents the chemical family and associated hazards.

2-ETHYLHEXYL BENZOA	TE			ID: 544	1-75-7
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-05-04 9:48:24	
%: 0.1000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No	SUBSTANCE ROLE: Coalescen	ıt
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS		
None found			No warr	nings found on HPD Priority Hazard	Lists
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION		
RESTRICTED LIST	Green Science Policy Institute (C	GSPI)	GSPI - Six Class	ses of Problematic Chemicals	
			Some Solvents		
SUBSTANCE NOTES:					

HYDROXYETHYL CELLU	LOSE			ID: 9004-62-0
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SO	CREENING DATE:	2023-05-04 9:48:25
%: 0.1000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Viscosity modifier
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
END	TEDX - Potential Endocrine Disr	uptors	Potential Endoc	rine Disruptor
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No	listings found on Additional Hazard Lists
SUBSTANCE NOTES:				

DIOPSIDE				ID: 14483-19-3
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD SC	REENING DATE:	2023-05-04 10:03:42
%: 0.1000 - 1.0000	GreenScreen: NoGS	RC: None	NANO: No	SUBSTANCE ROLE: Anti-static
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
None found			No warr	nings found on HPD Priority Hazard Lists

ADDITIONAL LISTINGS LIST NAME AND SOURCE NOTIFICATION

None found No listings found on Additional Hazard Lists

SUBSTANCE NOTES:

SOLVENT-DEWAXED HEAVY PARAFFINIC PETROLEUM DISTILLATES, SHOWN TO CONTAIN LESS THAN 3 % DMSO AS MEASURED BY IP 346

ID: 64742-65-0

HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	ry HAZARD SCREENING DATE: 2023-05-04 10:07:28		
%: 0.1000 - 1.0000	GreenScreen: LT-P1	RC: None	NANO: No	SUBSTANCE ROLE: Defoamer
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MUL	German FEA - Substances Haza Waters	rdous to	Class 3 - Severe I	Hazard to Waters
CAN	GHS - Australia		H350 - May cause 1A or 1B]	e cancer [Carcinogenicity - Category
SKI	GHS - Australia		H315 - Causes sk Category 2]	in irritation [Skin corrosion/irritation
DEV	GHS - Australia		•	ed of damaging the unborn child kicity - Category 2]
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
RESTRICTED LIST	Cradle to Cradle Products Innov Institute (C2CPII)	ation		Product Standard Restricted RSL) - Effective July 1, 2022
			Formulated Cons	umer Products

SUBSTANCE NOTES:

FELDSPAR				ID: 68476-25-5
HAZARD DATA SOURCE:	Pharos Chemical and Materials Library	HAZARD S	CREENING DATE: 2023-05-04 10:07:45	
%: 0.1000 - 1.0000	GreenScreen: LT-UNK	RC: None	NANO: No SUBSTANCE ROLE: Abra	sion resistance
HAZARD TYPE	LIST NAME AND SOURCE		WARNINGS	
MAM	GHS - New Zealand		Specific target organ toxicity - repeated e category 1	exposure
ADDITIONAL LISTINGS	LIST NAME AND SOURCE		NOTIFICATION	
None found			No listings found on Addition	nal Hazard Lists
SUBSTANCE NOTES:				

QUARTZ					ID: 14808-60-7
HAZARD DATA SOURCE: PI	haros Chemical and Materials Library	HAZARD SCF	REENING DATE:	2023-05-04 10:04:20	
%: Impurity/Residual	GreenScreen: BM-1	RC: None	NANO: No	SUBSTANCE ROLE: Imp	urity/Residual

HAZARD TYPE	LIST NAME AND SOURCE	WARNINGS
CAN	US CDC - Occupational Carcinogens	Occupational Carcinogen**
CAN	CA EPA - Prop 65	Carcinogen - specific to chemical form or exposure route**
CAN	US NIH - Report on Carcinogens	Known to be Human Carcinogen (respirable size - occupational setting)**
CAN	MAK	Carcinogen Group 1 - Substances that cause cancer in man**
CAN	IARC	Group 1 - Agent is carcinogenic to humans - inhaled from occupational sources**
CAN	IARC	Group 1 - Agent is Carcinogenic to humans**
CAN	US NIH - Report on Carcinogens	Known to be a human Carcinogen**
CAN	GHS - Japan	H350 - May cause cancer [Carcinogenicity - Category 1A]**
CAN	GHS - Australia	H350i - May cause cancer by inhalation [Carcinogenicity - Category 1A or 1B]**
CAN	GHS - New Zealand	Carcinogenicity category 1**
MAM	GHS - Japan	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organs/systemic toxicity following repeated exposure - Category 1]**
GEN	GHS - Japan	H341 - Suspected of causing genetic defects [Germ cell mutagenicity - Category 2]**
MAM	GHS - Australia	H372 - Causes damage to organs through prolonged or repeated exposure [Specific target organ toxicity - repeated exposure - Category 1]**
MAM	GHS - New Zealand	Specific target organ toxicity - repeated exposure category 1**
ADDITIONAL LISTINGS	LIST NAME AND SOURCE	NOTIFICATION
None found		No listings found on Additional Hazard Lists

SUBSTANCE NOTES: **Form-Specific Hazard: This substance's GreenScreen Benchmark or List Translator score and the applicable hazards are related to particulate inhalation, which is expected to occur only during manufacture, installation, maintenance, or demolition, due to activities such as sawing, sanding, grinding, or intensive cleaning. See HPDC's Special Conditions policy for more information. Manufacturer's Safety Data Sheet (SDS), if applicable, may offer occupational health and safety information.

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

EXPIRY DATE:

VOC EMISSIONS

UL/GreenGuard Gold Certified

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

ISSUE DATE: 2015-10-25

CERTIFIER OR LAB: UL

CERTIFICATE URL: https://spot.ul.com/mainapp/products/detail/5ad1ebda55b0e82d946a7404?

page_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES: Reporting Body: UL Document #: 70872-420

VOC CONTENT

SCAQMD Rule 1113 Architectural Coatings - Flats, floor coatings, non flat coatings, quick dry enamels, roof coatings only - 2007 amendments

CERTIFYING PARTY: Self-declared

APPLICABLE FACILITIES: All

CERTIFICATE URL: https://spot.ul.com/mainapp/products/detail/5ad1ebda55b0e82d946a7404? page_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES:

ISSUE DATE: 2015-10-25

EXPIRY DATE:

CERTIFIER OR LAB: Behr

FORMALDEHYDE EMISSIONS

UL Environmental Claim Validation - Formaldehyde Free

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

CERTIFICATE URL: https://spot.ul.com/mainapp/products/detail/5ad1ebda55b0e82d946a7404?

page_type=Products%20Catalog

CERTIFICATION AND COMPLIANCE NOTES: Reporting Body: UL Document #: 70872-4370

ISSUE DATE: 2015-10-25

EXPIRY DATE:

CERTIFIER OR LAB: UL

MULTI-ATTRIBUTE

CERTIFICATE URL:

MPI Extreme Green (X-Green)

CERTIFYING PARTY: Third Party APPLICABLE FACILITIES: All

ISSUE DATE: 2013-01-01 EXPIRY DATE:

CERTIFIER OR LAB: Master

Painters Institute

http://www.specifypaint.com/APL/paintinfo_APL_new/search.asp?

txtSearch=behr&btnSearch2=

CERTIFICATION AND COMPLIANCE NOTES: MPI's X-Green Performance Standard simplifies the process of specifying environmentally-safe interior high quality architectural coatings by establishing 'X-Green' editions of MPI's existing paint categories. X-Green certification requires performance i.e. as it relates to durability; VOC <50 g/l; reduced or zero quantities of various undesirable chemical components; and certification of emissions compliance to CHPS (Collaborative for High Performance Schools)

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

COLORANT

MANUFACTURER (OR GENERIC): Behr Process Corporation

HPD URL: No HPD Available

ACCESSORY TYPE: Colorant System

CONDITION WHEN RECOMMENDED OR REQUIRED AND/OR OTHER NOTES: Behr uses colorants that contain low VOC content (compliant with SCAQMD Rule 1113) and formaldehyde free. Colorants added to this base paint do not significantly increase VOC levels even if used at maximum tint load in any color.



Section 5: General Notes

The chemical assessments contained in this Health Product Declaration form has been generated by the Health Product Declaration tool(s) and may differ from the information contained in Behr's Safety Data Sheet ("SDS") for this product. Prior to using this product, users should review Behr's SDS and follow all instructions on the SDS and product label provided by Behr.

MANUFACTURER INFORMATION

MANUFACTURER: Behr Paint Company ADDRESS: 1801 E Saint Andrew Place Santa Ana California 92705, United States

WEBSITE: www.behr.com

CONTACT NAME: Anna Wang TITLE: Environmental Specialist PHONE: 1(714) 545-7101 EMAIL: anwang@behr.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity

CAN Cancer

DEV Developmental toxicity

END Endocrine activity

EYE Eye irritation/corrosivity

GEN Gene mutation

GLO Global warming

LAN Land toxicity

MAM Mammalian/systemic/organ toxicity

MUL Multiple

NEU Neurotoxicity

NF Not found on Priority Hazard Lists

OZO Ozone depletion

PBT Persistent, bioaccumulative, and toxic

PHY Physical hazard (flammable or reactive)

REP Reproductive

RES Respiratory sensitization

SKI Skin sensitization/irritation/corrosivity

UNK Unknown

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)

BM-3 Benchmark 3 (use but still opportunity for improvement)

BM-2 Benchmark 2 (use but search for safer substitutes)

BM-1 Benchmark 1 (avoid - chemical of high concern)

BM-U Benchmark Unspecified (due to insufficient data)

LT-P1 List Translator Possible 1 (Possible Benchmark-1)

LT-1 List Translator 1 (Likely Benchmark-1)

LT-UNK List Translator Benchmark Unknown

NoGS No GreenScreen.

GreenScreen Benchmark scores sometimes also carry subscripts, which provide more context for how the score was determined. These are DG (data gap), TP (transformation product), and CoHC (chemical of high concern). For more information, see 2.2.2.4 GreenScreen® for Safer Chemicals, www.greenscreenchemicals.org, and Best Practices for Hazard Screening on the HPDC website (hpd-collaborative.org).

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown

None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material Nested Method / Product Threshold Substances listed within each material per threshold indicated per product Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology

Third Party Verified Verification by independent certifier approved by HPDC

Preparer Third party preparer, if not self-prepared by manufacturer

Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.